

**Table 4A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 3 / 23 / 10

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Action Ctr	108	13.0	59.3	25.0	0.0	1.9	0.9	0.0
Albion	757	75.2	0.3	20.9	0.1	1.1	2.5	0.0
Anderson	2,975	64.6	13.8	13.5	0.1	0.2	7.8	0.0
Ball Mem	6	*	*	*	*	*	*	*
Bartholome	2,006	72.4	1.3	23.4	0.0	0.1	2.8	0.0
Bedford	1,177	95.1	0.6	2.4	0.0	0.8	1.1	0.0
Benton Co	205	80.0	0.0	17.6	0.0	0.0	2.4	0.0
Berne	113	80.5	0.9	16.8	0.0	0.9	0.9	0.0
Bicknell	141	98.6	0.0	0.0	0.0	0.0	1.4	0.0
Blackburn	1,335	9.7	81.1	4.5	0.0	0.6	4.1	0.0
Blackford	396	92.7	1.5	3.0	0.3	0.0	2.5	0.0
Boone Co	750	89.9	1.1	7.2	0.0	0.3	1.6	0.0
Brazil	956	93.9	0.3	2.7	0.0	0.4	2.6	0.0
Brown Co	324	92.9	0.3	6.2	0.0	0.0	0.6	0.0
Cambridge	190	93.7	0.0	0.5	0.0	0.0	5.8	0.0
Carroll Co	393	81.9	0.8	14.0	0.0	0.0	3.3	0.0
Cass Co	1,733	54.0	1.3	41.3	0.1	1.0	2.4	0.0
Citizens	2,166	34.8	44.1	15.8	0.2	1.6	3.6	0.0
Civic Ctr	3,066	54.3	28.8	7.6	0.0	0.9	8.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 3 / 23 / 10

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Clark Co	2,779	61.5	10.7	21.3	0.1	0.7	5.7	0.0
Clay City	65	*	*	*	*	*	*	*
Clinton	422	97.9	0.0	1.2	0.5	0.0	0.5	0.0
Clinton Co	1,434	52.6	0.9	44.6	0.0	0.3	1.5	0.0
Comm East	233	29.2	54.1	7.3	0.0	0.9	8.6	0.0
Cottage Gr	2,813	66.7	8.8	20.3	0.1	0.5	3.6	0.0
Crawford	293	97.3	0.0	1.7	0.0	0.0	1.0	0.0
Crown Pt	1,992	75.8	5.4	15.8	0.0	1.0	2.1	0.0
Daviess Co	831	70.3	0.0	26.1	0.0	0.0	3.6	0.0
Dearborn	1,264	95.1	0.9	0.8	0.1	0.3	2.8	0.0
Decatur	664	86.3	0.2	11.4	0.0	0.2	2.0	0.0
Decatur Co	870	94.9	0.2	3.8	0.1	0.2	0.7	0.0
Dekalb Co	949	89.0	0.7	7.1	0.1	0.5	2.5	0.0
Dubois Co	1,025	64.4	0.6	31.9	0.0	0.8	2.3	0.0
E Chicago	2,606	3.1	33.4	61.7	0.0	0.1	1.7	0.0
Eaton	84	*	*	*	*	*	*	*
Elkhart	5,563	40.8	14.4	38.8	0.0	0.6	5.4	0.0
Elwood	405	87.7	0.5	9.1	0.2	0.0	2.5	0.0
Fayette Co	886	94.4	1.2	1.7	0.0	0.1	2.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 3  
Run Date: 3 / 23 / 10

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Floyd Co	1,790	66.1	15.9	9.9	0.2	3.2	4.6	0.0
Forest Man	2,606	9.3	81.9	5.6	0.2	0.8	2.1	0.0
Fountain	497	95.8	0.4	2.4	0.0	0.4	1.0	0.0
Franklin C	400	98.3	0.0	1.0	0.0	0.0	0.8	0.0
Fulton	1,333	85.1	4.4	2.9	0.0	0.3	7.4	0.0
Fulton Co	757	86.5	0.8	10.0	0.0	0.1	2.5	0.0
Georgetown	4,610	15.2	39.1	41.9	0.4	1.1	2.3	0.0
Gibson Co	773	85.8	3.4	2.6	0.3	0.4	7.6	0.0
Glenn Pk	2,226	12.7	71.5	11.4	0.1	0.4	4.0	0.0
Goshen	2,870	46.3	1.4	49.9	0.0	0.3	2.1	0.0
Grant Co	2,353	67.9	12.2	11.5	0.0	0.3	8.1	0.0
Grant St	1,580	1.0	92.8	4.5	0.0	0.6	1.1	0.0
Grassy Crk	3,625	21.8	51.8	22.8	0.1	0.6	2.9	0.0
Greene Co	756	95.4	0.9	2.8	0.0	0.1	0.8	0.0
Hamilton	2,671	73.5	7.9	14.0	0.3	1.7	2.7	0.0
Hammond	3,324	21.3	29.3	46.0	0.0	0.3	3.1	0.0
Hancock Co	1,044	87.7	1.7	6.0	0.2	0.3	4.0	0.0
Hanna	3,588	52.4	6.8	21.2	0.1	14.7	4.7	0.0
Harrison	949	89.7	0.7	6.5	0.1	0.6	2.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 4  
Run Date: 3 / 23 / 10

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Hendricks	1,503	84.5	4.9	5.7	0.1	2.7	2.2	0.0
Henry Co	1,406	91.4	1.1	3.6	0.1	0.4	3.4	0.0
Hessville	1,509	48.0	18.0	31.6	0.1	0.2	2.1	0.0
Hispanic C	563	2.5	4.8	91.8	0.2	0.2	0.5	0.0
Howard Co	2,863	74.1	10.9	7.0	0.0	0.3	7.7	0.0
Huntington	986	93.1	0.0	4.3	0.0	0.1	2.5	0.0
IN0108 Closed	422	35.1	0.2	63.5	0.0	0.0	1.2	0.0
Jackson Co	1,435	76.1	1.2	22.0	0.0	0.6	0.1	0.0
Jasonville	47	*	*	*	*	*	*	*
Jasper Co	996	81.8	1.1	15.2	0.0	0.0	1.9	0.0
Jay Co	553	84.8	0.4	12.1	0.0	0.0	2.7	0.0
Jefferson	952	81.4	0.6	12.4	0.0	0.4	5.1	0.0
Jennings	1,263	92.3	2.0	4.9	0.1	0.4	0.3	0.0
Johnson Co	2,751	80.6	1.4	9.7	0.0	3.8	4.5	0.0
Kosciusko	1,552	65.1	1.1	31.3	0.1	0.3	2.2	0.0
Lagrange	656	82.9	0.8	13.6	0.0	0.3	2.4	0.0
Lake Station	1,920	46.4	13.4	34.6	0.0	0.2	5.5	0.0
Laporte	1,806	70.9	3.7	21.7	0.0	0.2	3.6	0.0
Main St	2,927	74.3	12.8	3.8	0.2	0.2	8.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 5  
Run Date: 3 / 23 / 10

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Marshall	1,427	67.3	1.1	29.2	0.0	0.1	2.3	0.0
Martin Co	276	96.4	0.4	1.1	0.0	0.4	1.8	0.0
Marycrest	51	*	*	*	*	*	*	*
Memorial	448	35.7	34.2	23.2	0.0	0.2	6.7	0.0
Merrillville	5	*	*	*	*	*	*	*
Methodist	759	31.0	45.5	18.3	0.1	1.6	3.6	0.0
Miami Co	1,048	85.4	2.0	5.0	0.6	0.3	6.8	0.0
Mich City	1,680	47.9	36.8	8.0	0.1	0.7	6.6	0.0
Moms/Kids	385	14.8	34.0	48.3	0.3	1.3	1.3	0.0
Monroe Co	2,666	73.4	6.1	7.7	0.0	3.9	8.9	0.0
Montgomery	1,130	80.5	1.8	16.1	0.0	0.2	1.4	0.0
Morgan Co	1,570	94.3	0.4	2.2	0.0	0.2	2.9	0.0
N Arlingto	2,837	26.3	41.3	24.6	0.1	0.5	7.2	0.0
N Liberty	65	*	*	*	*	*	*	*
N Manchest	319	79.3	0.3	14.7	0.0	0.0	5.6	0.0
Newton Co	277	85.9	0.0	13.0	0.0	0.4	0.7	0.0
Northwest	2,514	13.4	32.8	48.2	0.5	1.9	3.2	0.0
Ohio Co	53	*	*	*	*	*	*	*
Orange Co	714	93.3	2.2	2.4	0.4	0.1	1.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 6  
Run Date: 3 / 23 / 10

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Owen Co	516	95.5	0.2	3.5	0.0	0.0	0.8	0.0
Parke Co	347	90.5	0.0	7.5	0.0	0.6	1.4	0.0
Perry Co	459	94.8	0.2	2.0	0.0	0.2	2.8	0.0
Pike Co	260	94.6	0.0	2.3	0.0	0.0	3.1	0.0
Portage	1,485	70.4	10.1	16.8	0.1	0.5	2.1	0.0
Posey Co	384	85.7	2.6	3.9	0.0	0.0	7.8	0.0
Pulaski Co	430	94.7	0.0	4.2	0.0	0.2	0.9	0.0
Purdue	490	35.3	4.7	10.6	0.8	46.5	2.0	0.0
Putnam Co	974	92.6	1.4	2.2	0.0	0.7	3.1	0.0
Randolph	677	82.6	0.6	13.0	0.1	0.1	3.5	0.0
Richmond	2,102	69.5	6.3	10.9	0.2	0.3	12.8	0.0
Ripley Co	845	93.7	0.1	4.9	0.0	0.2	1.1	0.0
Rush Co	388	92.0	1.0	3.4	0.5	0.3	2.8	0.0
SB Ireland Rd	2,927	62.5	14.2	13.1	0.1	0.8	9.4	0.0
SB Lafayette	4,001	22.7	38.0	31.0	0.2	1.8	6.3	0.0
Scott Co	1,006	93.5	0.3	4.5	0.0	0.2	1.5	0.0
Shelby Co	1,125	81.7	1.0	15.9	0.0	0.0	1.4	0.0
Shelters	64	*	*	*	*	*	*	*
SJ Reg Ctr	166	50.0	29.5	15.1	0.0	1.8	3.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 7  
Run Date: 3 / 23 / 10

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
So Calhoun	10,200	36.4	28.3	21.1	0.0	6.4	7.8	0.0
Spencer Co	386	88.6	0.3	8.3	0.0	0.0	2.8	0.0
St Francis	54	*	*	*	*	*	*	*
St V-FLC	474	14.8	57.0	22.6	0.0	0.4	5.3	0.0
Starke Co	862	90.4	0.1	7.8	0.0	0.0	1.7	0.0
Steuben Co	1,361	86.1	0.6	10.0	0.0	1.0	2.4	0.0
Sullivan	546	95.2	0.2	2.9	0.0	0.0	1.6	0.0
Switz""Land	202	90.1	2.0	5.9	0.0	0.0	2.0	0.0
Tippecanoe	4,775	55.7	10.5	28.6	0.3	0.5	4.4	0.0
Tipton Co	282	91.8	0.7	6.4	0.0	0.0	1.1	0.0
Union Co	195	90.3	0.5	1.0	0.0	0.5	7.7	0.0
United Fai	1,585	66.9	14.1	8.3	0.0	1.4	9.3	0.0
Valpo	1,488	73.8	3.7	16.1	0.0	0.7	5.8	0.0
Vigo	2,726	77.3	8.1	4.3	0.0	0.8	9.5	0.0
Vincennes	838	87.0	2.5	4.7	0.1	0.0	5.7	0.0
W 21st Ave	1,811	0.6	95.8	2.1	0.1	0.1	1.3	0.0
Wabash	685	87.3	0.1	6.0	0.0	0.3	6.1	0.1
Warren Co	261	96.6	0.4	2.7	0.0	0.4	0.0	0.0
Warrick Co	952	91.0	1.2	2.3	0.1	0.1	5.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 8  
Run Date: 3 / 23 / 10

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Washington	773	95.0	0.0	2.8	0.0	0.3	1.9	0.0
Wells Co	593	91.2	1.5	5.1	0.0	0.2	2.0	0.0
Westside	2,684	32.1	18.0	44.6	0.5	0.9	3.9	0.0
White Co	829	70.1	0.4	28.0	0.0	0.1	1.4	0.0
Whitley Co	922	93.4	0.8	4.6	0.0	0.4	0.9	0.0
Wishard	883	11.9	44.8	41.2	0.0	0.8	1.2	0.0
Women""s	1	*	*	*	*	*	*	*
<b>Indiana</b>	<b>181,075</b>	<b>57.8</b>	<b>17.3</b>	<b>19.0</b>	<b>0.1</b>	<b>1.4</b>	<b>4.4</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,164,612</b>	<b>31.7</b>	<b>18.8</b>	<b>41.0</b>	<b>1.0</b>	<b>2.6</b>	<b>2.1</b>	<b>2.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 5A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 9  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Action Ctr	108	40.7	25.0	34.3
Albion	757	30.5	30.4	39.1
Anderson	2,975	40.3	20.2	39.5
Ball Mem	6	*	*	*
Bartholome	2,006	39.1	20.6	40.2
Bedford	1,177	40.8	19.6	39.6
Benton Co	205	28.8	23.4	47.8
Berne	113	25.7	21.2	53.1
Bicknell	141	24.8	24.8	50.4
Blackburn	1,335	36.9	26.9	36.2
Blackford	396	35.4	20.7	43.9
Boone Co	750	31.5	26.5	42.0
Brazil	956	29.7	22.5	47.8
Brown Co	324	33.0	24.4	42.6
Cambridge	190	32.1	17.4	50.5
Carroll Co	393	32.6	21.1	46.3
Cass Co	1,733	32.5	18.6	48.9
Citizens	2,166	41.9	21.4	36.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 10  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Civic Ctr	3,066	40.3	18.0	41.7
Clark Co	2,779	39.2	21.4	39.4
Clay City	65	*	*	*
Clinton	422	33.4	23.2	43.4
Clinton Co	1,434	34.3	17.0	48.7
Comm East	233	99.6	0.0	0.4
Cottage Gr	2,813	28.3	27.4	44.3
Crawford	293	34.8	20.8	44.4
Crown Pt	1,992	43.2	16.7	40.2
Daviess Co	831	26.7	27.4	45.8
Dearborn	1,264	37.9	20.3	41.9
Decatur	664	37.3	19.6	43.1
Decatur Co	870	35.5	17.8	46.7
Dekalb Co	949	36.7	23.2	40.1
Dubois Co	1,025	40.7	18.7	40.6
E Chicago	2,606	35.5	19.3	45.2
Eaton	84	*	*	*
Elkhart	5,563	33.5	21.4	45.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 11  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Elwood	405	41.0	18.3	40.7
Fayette Co	886	36.0	22.8	41.2
Floyd Co	1,790	38.3	20.2	41.5
Forest Man	2,606	26.9	30.7	42.4
Fountain	497	33.6	20.7	45.7
Franklin C	400	34.0	22.5	43.5
Fulton	1,333	48.0	19.2	32.8
Fulton Co	757	36.5	22.2	41.3
Georgetown	4,610	26.8	28.9	44.3
Gibson Co	773	38.6	18.5	42.9
Glenn Pk	2,226	36.3	19.8	43.9
Goshen	2,870	33.4	22.6	44.0
Grant Co	2,353	37.1	18.9	43.9
Grant St	1,580	38.5	19.9	41.6
Grassy Crk	3,625	29.7	28.1	42.2
Greene Co	756	36.9	21.2	41.9
Hamilton	2,671	38.5	19.9	41.6
Hammond	3,324	36.9	20.0	43.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 12  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Hancock Co	1,044	39.2	22.3	38.5
Hanna	3,588	31.7	28.6	39.7
Harrison	949	38.3	19.7	42.0
Hendricks	1,503	40.5	23.1	36.5
Henry Co	1,406	38.0	17.6	44.5
Hessville	1,509	37.6	18.6	43.9
Hispanic C	563	21.7	29.5	48.8
Howard Co	2,863	35.9	20.5	43.6
Huntington	986	37.2	21.1	41.7
IN0108 Closed	422	25.4	26.5	48.1
Jackson Co	1,435	35.7	21.1	43.2
Jasonville	47	*	*	*
Jasper Co	996	35.0	19.9	45.1
Jay Co	553	40.1	21.9	38.0
Jefferson	952	39.2	21.1	39.7
Jennings	1,263	32.2	18.1	49.7
Johnson Co	2,751	41.8	18.8	39.4
Kosciusko	1,552	34.1	25.3	40.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 13  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Lagrange	656	34.0	19.5	46.5
Lake Station	1,920	38.0	17.9	44.2
Laporte	1,806	35.4	21.2	43.4
Main St	2,927	40.2	21.3	38.5
Marshall	1,427	36.5	20.7	42.8
Martin Co	276	37.7	21.0	41.3
Marycrest	51	*	*	*
Memorial	448	100.0	0.0	0.0
Merrillville	5	*	*	*
Methodist	759	99.2	0.7	0.1
Miami Co	1,048	33.1	19.5	47.4
Mich City	1,680	40.2	18.3	41.5
Moms/Kids	385	27.5	20.3	52.2
Monroe Co	2,666	38.2	18.5	43.3
Montgomery	1,130	32.3	23.5	44.2
Morgan Co	1,570	41.2	20.3	38.5
N Arlingto	2,837	27.5	30.3	42.2
N Liberty	65	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 14  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
N Manchest	319	32.9	17.6	49.5
Newton Co	277	36.1	21.7	42.2
Northwest	2,514	26.3	29.6	44.0
Ohio Co	53	*	*	*
Orange Co	714	34.5	17.8	47.8
Owen Co	516	34.5	23.1	42.4
Parke Co	347	38.9	19.3	41.8
Perry Co	459	41.6	16.1	42.3
Pike Co	260	46.9	17.7	35.4
Portage	1,485	41.3	21.1	37.6
Posey Co	384	40.9	19.5	39.6
Pulaski Co	430	36.0	19.1	44.9
Purdue	490	40.8	21.2	38.0
Putnam Co	974	34.2	22.8	43.0
Randolph	677	43.3	19.8	36.9
Richmond	2,102	39.0	20.6	40.4
Ripley Co	845	37.4	20.1	42.5
Rush Co	388	35.3	22.9	41.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 15  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
SB Ireland Rd	2,927	28.9	25.6	45.5
SB Lafayette	4,001	22.3	27.1	50.6
Scott Co	1,006	33.0	19.4	47.6
Shelby Co	1,125	39.2	19.8	41.0
Shelters	64	*	*	*
SJ Reg Ctr	166	99.4	0.0	0.6
So Calhoun	10,200	31.3	22.6	46.1
Spencer Co	386	35.2	20.7	44.0
St Francis	54	*	*	*
St V-FLC	474	98.9	0.4	0.6
Starke Co	862	33.9	19.5	46.6
Steuben Co	1,361	28.8	19.3	51.9
Sullivan	546	36.8	17.0	46.2
Switz""Land	202	39.6	14.4	46.0
Tippecanoe	4,775	33.8	21.3	44.9
Tipton Co	282	31.9	22.0	46.1
Union Co	195	32.8	21.5	45.6
United Fai	1,585	34.7	22.1	43.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 16  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Valpo	1,488	38.8	18.1	43.1
Vigo	2,726	39.8	21.0	39.2
Vincennes	838	30.8	25.2	44.0
W 21st Ave	1,811	38.2	17.7	44.1
Wabash	685	35.9	19.4	44.7
Warren Co	261	28.4	22.6	49.0
Warrick Co	952	39.8	17.5	42.6
Washington	773	37.0	18.6	44.4
Wells Co	593	38.6	18.5	42.8
Westside	2,684	24.9	31.3	43.8
White Co	829	36.7	19.5	43.8
Whitley Co	922	35.4	21.0	43.6
Wishard	883	99.2	0.7	0.1
Women""s	1	*	*	*
<b>Indiana</b>	<b>181,075</b>	<b>35.9</b>	<b>21.7</b>	<b>42.4</b>
<b>Nation (Prior Year)</b>	<b>8,164,612</b>	<b>35.8</b>	<b>23.0</b>	<b>41.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight								Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Action Ctr	38	* *	* *	107	2.8 (2)	13.1(125)	6.5 (8)	38	* *	* *	* *	64	* *
Albion	196	9.2 (58)	5.6 (42)	743	7.8(113)	3.5 (84)	14.4(110)	285	17.5 (66)	14.4 (59)		498	14.9 (69)
Anderson	821	10.2 (79)	6.2 (54)	2,884	8.6(117)	2.7 (52)	12.5 (78)	1,164	15.7 (37)	12.8 (34)		1,973	21.7 (111)
Ball Mem	3	* *	* *	6	* *	* *	* *	2	* *	* *	* *	3	* *
Bartholome	522	8.4 (43)	5.7 (45)	1,891	5.4 (40)	2.3 (30)	11.1 (47)	802	16.2 (46)	14.8 (64)		1,356	8.7 (19)
Bedford	316	6.6 (15)	3.5 (7)	1,155	6.9 (90)	2.5 (38)	12.1 (69)	460	17.6 (67)	13.0 (36)		819	9.5 (26)
Benton Co	42	* *	* *	203	3.4 (6)	1.5 (10)	11.8 (60)	97	* *	* *	* *	145	17.2 (91)
Berne	17	* *	* *	109	9.2(120)	3.7 (93)	11.0 (44)	56	* *	* *	* *	90	* *
Bicknell	27	* *	* *	141	9.2(120)	0.7 (1)	13.5 (98)	71	* *	* *	* *	97	* *
Blackburn	433	11.1 (88)	4.6 (23)	1,310	7.7(111)	5.7(117)	11.3 (51)	471	14.0 (18)	12.3 (29)		828	33.3 (120)
Blackford	100	12.0 (97)	5.0 (30)	389	5.7 (55)	3.6 (90)	10.3 (27)	171	12.3 (7)	14.6 (61)		282	8.9 (24)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 18  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight								Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Boone Co	205	8.3 (39)	4.9 (28)	734	6.5 (78)	2.5 (38)	10.9 (42)	305	13.8 (17)	12.1 (24)		482	15.4 (76)
Brazil	200	3.5 (2)	10.0 (103)	944	5.2 (30)	2.3 (30)	15.4(120)	466	19.1 (91)	18.7(105)		672	8.3 (16)
Brown Co	72	* *	* *	320	5.6 (48)	2.2 (25)	13.4 (94)	134	15.7 (37)	18.7(105)		239	2.1 (1)
Cambridge	44	* *	* *	187	6.4 (74)	6.4(119)	17.1(127)	95	* *	* *		137	14.6 (66)
Carroll Co	82	* *	* *	389	4.4 (13)	2.6 (45)	14.4(110)	186	18.8 (85)	18.8(107)		304	10.2 (32)
Cass Co	358	8.7 (51)	5.9 (50)	1,686	5.3 (35)	2.7 (52)	13.9(105)	835	17.1 (55)	16.8 (89)		1,284	12.2 (51)
Citizens	786	10.3 (80)	5.2 (32)	2,129	7.2 (97)	5.0(113)	9.4 (13)	778	12.9 (11)	10.3 (8)		1,233	28.1 (119)
Civic Ctr	808	11.9 (95)	3.7 (8)	2,964	6.4 (74)	2.6 (45)	11.1 (47)	1,247	17.2 (59)	13.5 (42)		2,102	11.3 (43)
Clark Co	745	9.7 (76)	5.6 (42)	2,722	7.3 (99)	2.4 (36)	13.4 (94)	1,064	17.4 (63)	17.2 (94)		1,943	18.4 (99)
Clay City	12	* *	* *	64	* *	* *	* *	35	* *	* *		51	* *
Clinton	109	9.2 (58)	6.4 (57)	418	9.8(126)	2.4 (36)	13.9(105)	180	17.2 (59)	18.9(109)		298	20.5 (108)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Clinton Co	302	5.3 (7)	10.6 (106)	1,406	5.8 (61)	1.1 (2)	15.9(125)	680	19.1 (91)	17.8 (99)		1,056	12.6 (53)
Comm East	222	12.2 (98)	5.4 (36)	229	9.2(120)	23.6(129)	2.2 (1)	1	*	*	*	4	*
Cottage Gr	615	9.3 (66)	7.8 (81)	2,778	6.8 (86)	3.2 (75)	14.5(114)	1,237	16.3 (48)	14.9 (69)		1,908	10.5 (35)
Crawford	71	*	*	287	8.4(116)	3.5 (84)	9.4 (13)	125	18.4 (82)	13.6 (44)		205	10.7 (38)
Crown Pt	566	8.3 (39)	7.8 (81)	1,947	5.9 (65)	2.1 (20)	10.2 (22)	797	13.0 (12)	9.8 (5)		1,310	12.8 (55)
Daviess Co	186	11.3 (91)	0.5 (1)	818	6.7 (83)	1.1 (2)	16.7(126)	374	19.0 (87)	24.3(115)		578	16.8 (88)
Dearborn	313	6.7 (16)	6.4 (57)	1,247	5.5 (44)	2.8 (58)	11.0 (44)	536	19.2 (93)	15.3 (77)		876	11.3 (43)
Decatur	161	6.8 (17)	6.8 (66)	661	7.7(111)	3.8(100)	10.6 (35)	276	14.5 (23)	13.8 (48)		472	25.8(117)
Decatur Co	177	5.1 (6)	3.4 (6)	851	3.8 (7)	2.1 (20)	13.2 (90)	400	19.8(101)	16.5 (87)		637	6.8 (11)
Dekalb Co	323	7.7 (27)	10.2(104)	927	6.8 (86)	3.7 (93)	13.3 (92)	377	23.1(113)	18.6(104)		561	8.7 (19)
Dubois Co	264	9.5 (71)	6.8 (66)	997	6.0 (67)	2.9 (62)	10.5 (33)	404	17.6 (67)	14.1 (55)		738	9.5 (26)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 20  
Run Date: 3 / 23 / 10

<b>Comparison of Growth and Anemia Indicators</b> (3,4)											
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
E Chicago	632	12.2 (98)	6.3 (55)	2,547	6.4 (74)	2.5 (38)	13.8(103)	1,151	17.1 (55)	14.1 (55)	1,878 12.6 (53)
Eaton	24	* *	* *	80	* *	* *	* *	36	* *	* *	57 * *
Elkhart	1,294	7.5 (24)	7.0 (74)	5,481	5.1 (26)	1.9 (16)	12.3 (73)	2,497	18.3 (80)	15.4 (78)	3,948 8.5 (18)
Elwood	114	9.6 (74)	4.4 (17)	394	9.4(123)	1.5 (10)	13.7 (99)	163	23.9(115)	19.0(110)	266 17.3 (92)
Fayette Co	235	8.9 (56)	4.3 (15)	863	7.2 (97)	2.8 (58)	9.7 (15)	364	19.0 (87)	11.5 (17)	588 20.6(109)
Floyd Co	428	10.5 (82)	3.7 (8)	1,761	7.4(103)	2.3 (30)	15.4(120)	743	20.2(106)	17.6 (96)	1,214 15.0 (70)
Forest Man	596	14.1 (105)	5.0 (30)	2,567	6.2 (68)	5.3(115)	10.2 (22)	1,079	11.6 (5)	9.6 (4)	1,800 17.8 (94)
Fountain	121	5.0 (5)	5.8 (48)	489	5.1 (26)	2.5 (38)	12.9 (86)	223	19.7(100)	17.0 (91)	339 10.6 (36)
Franklin C	108	8.3 (39)	3.7 (8)	389	7.5(108)	3.6 (90)	12.9 (86)	168	19.6 (99)	16.7 (88)	273 25.3(115)
Fulton	400	9.8 (77)	4.5 (21)	1,298	5.5 (44)	2.5 (38)	10.1 (20)	426	17.1 (55)	13.4 (40)	858 6.1 (9)
Fulton Co	184	9.2 (58)	3.3 (5)	749	5.3 (35)	3.2 (75)	12.7 (80)	312	17.3 (62)	17.3 (95)	539 18.9(101)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 21  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Georgetown	1,026	9.4 (68)	6.9 (72)	4,533	5.5 (44)	3.6 (90)	14.2(107)	2,001	18.2 (79)	15.5 (79)		3,150	15.5 (79)
Gibson Co	190	8.4 (43)	3.2 (4)	762	6.4 (74)	1.3 (7)	12.6 (79)	330	16.1 (44)	15.5 (79)		538	11.5 (47)
Glenn Pk	525	9.5 (71)	4.8 (26)	2,152	4.9 (22)	2.6 (45)	9.9 (18)	961	12.5 (9)	10.7 (11)		1,673	26.1 (118)
Goshen	682	8.1 (34)	7.9 (85)	2,826	4.8 (18)	1.7 (13)	12.1 (69)	1,253	18.0 (77)	15.8 (84)		2,062	4.1 (5)
Grant Co	586	11.9 (95)	5.3 (35)	2,274	8.7(118)	3.4 (82)	15.3(119)	1,005	16.2 (46)	18.2(102)		1,627	25.3 (115)
Grant St	386	11.1 (88)	4.1 (13)	1,545	7.3 (99)	3.5 (84)	10.6 (35)	646	11.5 (4)	10.1 (6)		1,135	18.3 (96)
Grassy Crk	906	9.2 (58)	4.5 (21)	3,558	6.6 (80)	4.8(111)	12.3 (73)	1,511	16.5 (51)	13.0 (36)		2,384	20.4 (107)
Greene Co	174	6.9 (19)	6.3 (55)	745	7.8(113)	2.0 (17)	15.7(123)	321	15.9 (41)	19.6(111)		539	7.4 (13)
Hamilton	614	8.5 (47)	6.8 (66)	2,595	5.7 (55)	3.5 (84)	10.2 (22)	1,094	13.6 (15)	11.7 (19)		1,877	12.4 (52)
Hammond	782	8.8 (52)	4.3 (15)	3,248	4.8 (18)	3.2 (75)	11.3 (51)	1,409	14.5 (23)	13.7 (45)		2,328	17.5 (93)
Hancock Co	256	8.2 (36)	6.6 (64)	1,031	7.9(115)	1.2 (6)	12.9 (86)	390	15.6 (35)	11.3 (14)		729	14.3 (64)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 22  
Run Date: 3 / 23 / 10

<b>Comparison of Growth and Anemia Indicators</b> (3,4)											
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Hanna	903	8.5 (47)	6.4 (57)	3,523	7.4(103)	3.5 (84)	13.4 (94)	1,410	17.8 (72)	15.2 (74)	2,333 15.0 (70)
Harrison	235	12.3 (100)	8.1 (89)	934	9.5(124)	2.2 (25)	12.8 (82)	396	15.4 (32)	16.9 (90)	664 11.0 (41)
Hendricks	433	8.1 (34)	8.1 (89)	1,479	5.7 (55)	4.3(106)	10.4 (31)	538	19.9(103)	11.7 (19)	950 16.7 (87)
Henry Co	355	10.7 (85)	5.9 (50)	1,379	5.1 (26)	4.1(102)	8.5 (10)	607	14.2 (20)	11.5 (17)	1,040 9.8 (30)
Hessville	359	10.3 (80)	6.4 (57)	1,474	5.2 (30)	3.1 (73)	13.8(103)	642	15.7 (37)	14.6 (61)	1,065 3.8 (4)
Hispanic C	102	2.9 (1)	7.8 (81)	549	4.6 (14)	2.2 (25)	15.8(124)	272	21.3(110)	20.2(112)	399 10.3 (33)
Howard Co	653	8.9 (56)	5.2 (32)	2,775	6.7 (83)	2.7 (52)	13.2 (90)	1,238	19.4 (95)	15.8 (84)	2,072 23.0(112)
Huntington	240	11.7 (93)	4.2 (14)	974	6.9 (90)	3.0 (67)	10.6 (35)	413	12.6 (10)	11.9 (23)	700 9.7 (28)
IN0108 Closed	75	* *	* *	415	4.3 (12)	4.1(102)	13.7 (99)	212	23.1(113)	15.1 (72)	274 15.3 (74)
Jackson Co	346	4.3 (3)	4.0 (12)	1,418	5.5 (44)	1.6 (12)	12.2 (71)	602	21.6(111)	18.8(107)	1,034 8.4 (17)
Jasonville	8	* *	* *	47	* *	* *	* *	22	* *	* *	29 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Jasper Co	228	12.7 (102)	7.0 (74)	959	5.3 (35)	5.1(114)	11.2 (49)	443	17.4 (63)	13.1 (38)		726	18.9 (101)
Jay Co	140	9.3 (66)	5.7 (45)	549	4.9 (22)	2.9 (62)	12.8 (82)	207	17.9 (75)	20.8(113)		385	16.4 (83)
Jefferson	245	9.4 (68)	7.3 (79)	936	7.3 (99)	2.1 (20)	15.0(117)	374	21.1(108)	21.1(114)		650	10.9 (40)
Jennings	275	6.5 (13)	9.8(100)	1,241	7.0 (93)	2.9 (62)	12.8 (82)	609	14.3 (21)	12.8 (34)		924	21.3 (110)
Johnson Co	737	8.0 (33)	7.1 (77)	2,653	4.7 (16)	3.7 (93)	10.2 (22)	1,069	15.9 (41)	13.5 (42)		1,889	10.0 (31)
Kosciusko	374	8.8 (52)	6.7 (65)	1,499	7.4(103)	1.7 (13)	14.3(109)	632	20.4(107)	18.0(100)		1,017	10.6 (36)
Lagrange	126	9.5 (71)	7.9 (85)	649	6.3 (70)	1.7 (13)	10.9 (42)	309	22.7(112)	15.2 (74)		491	11.0 (41)
Lake Station	490	8.8 (52)	5.5 (39)	1,872	5.4 (40)	2.8 (58)	11.2 (49)	835	15.3 (31)	12.3 (29)		1,329	10.4 (34)
Laporte	422	9.2 (58)	5.7 (45)	1,768	7.5(108)	2.2 (25)	15.2(118)	781	19.0 (87)	15.2 (74)		1,274	8.8 (21)
Main St	825	10.5 (82)	3.9 (11)	2,862	6.2 (68)	7.3(121)	10.2 (22)	1,114	14.1 (19)	12.5 (32)		2,019	20.2 (106)
Marshall	340	9.4 (68)	7.6 (80)	1,394	7.0 (93)	1.1 (2)	17.1(127)	605	18.8 (85)	18.2(102)		1,024	8.1 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Martin Co	60	* *	* *	271	5.2 (30)	2.6 (45)	11.8 (60)	113	15.0 (28)	10.6 (10)		204	5.4 (6)
Marycrest	0	* *	* *	50	* *	* *	* *	40	* *	* *		40	* *
Memorial	422	10.0 (78)	7.8 (81)	431	6.3 (70)	7.7(122)	3.7 (3)	0	* *	* *		5	* *
Merrillville	3	* *	* *	5	* *	* *	* *	2	* *	* *		2	* *
Methodist	720	10.6 (84)	6.0 (52)	735	9.5(124)	15.5(127)	3.9 (4)	1	* *	* *		18	* *
Miami Co	229	10.9 (87)	8.7 (95)	1,028	5.6 (48)	3.0 (67)	10.3 (27)	499	14.4 (22)	11.4 (15)		755	13.5 (60)
Mich City	439	12.5 (101)	4.6 (23)	1,644	6.8 (86)	2.6 (45)	14.4(110)	684	18.7 (84)	13.7 (45)		1,140	16.3 (82)
Moms/Kids	56	* *	* *	376	2.4 (1)	3.7 (93)	10.6 (35)	194	13.4 (14)	13.9 (51)		300	14.7 (68)
Monroe Co	612	6.2 (11)	8.5 (93)	2,619	5.3 (35)	2.3 (30)	12.0 (65)	1,157	17.7 (69)	14.1 (55)		1,868	13.0 (57)
Montgomery	296	8.8 (52)	7.1 (77)	1,110	5.6 (48)	3.4 (82)	10.8 (40)	490	19.8(101)	15.5 (79)		793	13.7 (61)
Morgan Co	406	6.2 (11)	5.4 (36)	1,523	6.6 (80)	2.1 (20)	13.7 (99)	599	17.7 (69)	14.4 (59)		1,084	18.5 (100)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 25  
Run Date: 3 / 23 / 10

<b>Comparison of Growth and Anemia Indicators</b> (3,4)											
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
N Arlingto	679	13.1 (104)	5.6 (42)	2,780	5.7 (55)	4.1(102)	11.8 (60)	1,182	15.0 (28)	13.2 (39)	1,917 19.1 (103)
N Liberty	10	* *	* *	62	* *	* *	* *	34	* *	* *	46 * *
N Manchest	71	* *	* *	310	7.4(103)	1.3 (7)	12.3 (73)	153	18.3 (80)	11.8 (22)	238 5.9 (7)
Newton Co	61	* *	* *	263	8.7(118)	5.3(115)	14.4(110)	113	13.3 (13)	12.4 (31)	203 19.2 (104)
Northwest	529	7.9 (31)	6.0 (52)	2,456	5.6 (48)	2.5 (38)	14.8(116)	1,099	19.5 (97)	17.0 (91)	1,702 13.7 (61)
Ohio Co	7	* *	* *	53	* *	* *	* *	33	* *	* *	41 * *
Orange Co	148	10.8 (86)	6.8 (66)	695	7.6(110)	3.0 (67)	12.2 (71)	342	19.0 (87)	13.7 (45)	519 6.7 (10)
Owen Co	123	6.5 (13)	9.8 (100)	509	5.9 (65)	3.7 (93)	13.4 (94)	215	17.2 (59)	17.7 (97)	382 11.5 (47)
Parke Co	91	* *	* *	341	7.0 (93)	2.3 (30)	12.0 (65)	144	18.1 (78)	10.4 (9)	246 15.4 (76)
Perry Co	126	11.1 (88)	4.8 (26)	439	19.1(129)	3.0 (67)	27.3(129)	185	12.4 (8)	11.4 (15)	302 24.8 (114)
Pike Co	74	* *	* *	255	14.1(128)	2.0 (17)	13.7 (99)	86	* *	* *	163 2.5 (2)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Portage	379	7.7 (27)	9.5 (99)	1,450	5.6 (48)	2.9 (62)	10.5 (33)	553	15.9 (41)	10.1 (6)		1,035	10.8 (39)
Posey Co	99	* *	* *	378	6.3 (70)	3.2 (75)	10.3 (27)	147	12.2 (6)	12.2 (27)		269	9.7 (28)
Pulaski Co	95	* *	* *	417	5.3 (35)	4.6(109)	10.3 (27)	191	13.6 (15)	12.6 (33)		318	11.3 (43)
Purdue	133	7.5 (24)	8.3 (92)	481	3.3 (5)	6.4(119)	5.6 (7)	189	11.1 (3)	6.9 (1)		330	13.3 (59)
Putnam Co	233	8.2 (36)	9.0 (97)	964	5.4 (40)	2.8 (58)	12.0 (65)	422	20.1(105)	14.9 (69)		681	8.8 (21)
Randolph	185	9.2 (58)	5.4 (36)	669	5.1 (26)	2.7 (52)	9.7 (15)	246	16.3 (48)	11.0 (13)		459	15.3 (74)
Richmond	550	7.5 (24)	4.9 (28)	2,058	6.3 (70)	3.0 (67)	11.3 (51)	833	17.8 (72)	12.1 (24)		1,401	15.1 (72)
Ripley Co	199	8.5 (47)	7.0 (74)	832	5.6 (48)	2.3 (30)	12.0 (65)	354	19.2 (93)	15.5 (79)		581	19.8 (105)
Rush Co	94	* *	* *	380	4.7 (16)	4.5(108)	11.3 (51)	158	14.6 (25)	17.7 (97)		266	12.0 (50)
SB Ireland Rd	636	7.4 (23)	8.0 (88)	2,884	4.6 (14)	3.7 (93)	10.1 (20)	1,297	10.4 (1)	8.4 (2)		2,016	16.5 (84)
SB Lafayette	655	8.4 (43)	7.9 (85)	3,926	5.0 (25)	2.7 (52)	11.4 (55)	1,993	16.8 (54)	12.1 (24)		2,925	16.9 (89)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Scott Co	228	8.3 (39)	4.4 (17)	994	5.7 (55)	3.3 (79)	11.8 (60)	472	16.1 (44)	15.7 (83)	701	15.1 (72)
Shelby Co	281	7.1 (20)	8.2 (91)	1,100	5.4 (40)	1.4 (9)	14.6(115)	454	16.5 (51)	18.1(101)	763	13.9 (63)
Shelters	6	* *	* *	63	* *	* *	* *	35	* *	* *	48	* *
SJ Reg Ctr	161	5.6 (8)	6.8 (66)	161	3.1 (3)	13.7(126)	4.3 (5)	1	* *	* *	5	* *
So Calhoun	2,386	9.6 (74)	4.4 (17)	10,026	6.7 (83)	3.1 (73)	13.1 (89)	4,620	16.3 (48)	14.0 (53)	7,230	18.3 (96)
Spencer Co	86	* *	* *	374	4.8 (18)	1.1 (2)	12.8 (82)	169	19.5 (97)	14.8 (64)	283	6.0 (8)
St Francis	53	* *	* *	53	* *	* *	* *	0	* *	* *	0	* *
St V-FLC	433	8.5 (47)	4.6 (23)	460	3.9 (8)	21.1(128)	3.5 (2)	3	* *	* *	15	* *
Starke Co	191	7.9 (31)	9.9(102)	843	4.0 (9)	2.0 (17)	13.3 (92)	386	19.9(103)	14.2 (58)	659	15.9 (80)
Steuben Co	251	6.8 (17)	9.2 (98)	1,340	4.2 (11)	4.2(105)	11.4 (55)	702	17.8 (72)	14.8 (64)	1,010	8.8 (21)
Sullivan	135	4.4 (4)	4.4 (17)	539	6.5 (78)	3.0 (67)	11.9 (64)	245	21.2(109)	13.9 (51)	383	14.6 (66)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Switz""Land	50	* *	* *	198	4.0 (9)	8.1(123)	9.1 (12)	90	* *	* *	147 7.5 (14)
Tippecanoe	1,111	7.7 (27)	10.2 (104)	4,692	4.9 (22)	2.9 (62)	12.7 (80)	2,127	17.7 (69)	15.1 (72)	3,423 14.5 (65)
Tipton Co	53	* *	* *	274	5.8 (61)	2.6 (45)	10.6 (35)	130	14.6 (25)	14.6 (61)	218 7.3 (12)
Union Co	42	* *	* *	193	3.1 (3)	2.1 (20)	11.4 (55)	87	* *	* *	149 15.4 (76)
United Fai	408	7.1 (20)	6.4 (57)	1,565	5.2 (30)	3.3 (79)	11.4 (55)	680	17.9 (75)	13.8 (48)	1,095 16.9 (89)
Valpo	350	6.0 (10)	8.6 (94)	1,454	5.2 (30)	3.5 (84)	11.7 (59)	627	15.8 (40)	14.0 (53)	1,024 11.5 (47)
Vigo	750	8.4 (43)	6.4 (57)	2,682	6.6 (80)	2.5 (38)	11.0 (44)	1,048	17.4 (63)	14.8 (64)	1,847 11.3 (43)
Vincennes	220	8.2 (36)	5.5 (39)	823	6.8 (86)	4.3(106)	10.8 (40)	366	15.0 (28)	14.8 (64)	520 3.3 (3)
W 21st Ave	459	16.3 (106)	3.1 (3)	1,766	5.8 (61)	4.8(111)	8.3 (9)	796	10.9 (2)	8.5 (3)	1,266 23.9 (113)
Wabash	153	5.9 (9)	5.2 (32)	674	5.8 (61)	2.2 (25)	10.4 (31)	298	15.4 (32)	13.8 (48)	475 9.3 (25)
Warren Co	56	* *	* *	261	5.7 (55)	5.7(117)	8.8 (11)	129	17.1 (55)	10.9 (12)	182 16.5 (84)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Warrick Co	248	11.7 (93)	6.9 (72)	920	10.0(127)	3.7 (93)	15.5(122)	397	15.4 (32)	13.4 (40)		651	13.2 (58)
Washington	172	12.8 (103)	2.9 (2)	755	7.0 (93)	3.8(100)	12.3 (73)	342	16.7 (53)	14.9 (69)		555	12.8 (55)
Wells Co	154	7.8 (30)	6.5 (63)	588	7.3 (99)	2.6 (45)	9.7 (15)	254	14.6 (25)	12.2 (27)		424	18.2 (95)
Westside	530	9.2 (58)	5.8 (48)	2,627	5.6 (48)	2.7 (52)	14.2(107)	1,152	18.5 (83)	16.4 (86)		1,810	16.5 (84)
White Co	219	7.3 (22)	8.7 (95)	810	4.8 (18)	3.3 (79)	9.9 (18)	358	15.6 (35)	11.7 (19)		592	16.0 (81)
Whitley Co	220	11.4 (92)	5.5 (39)	902	6.9 (90)	4.7(110)	12.4 (77)	392	19.4 (95)	17.1 (93)		654	18.3 (96)
Wishard	826	9.2 (58)	6.8 (66)	849	7.4(103)	9.5(124)	5.4 (6)	1	*	*	*	21	*
Women""s	0	*	*	1	*	*	*	0	*	*	*	1	*
Indiana	45,962	9.1	6.2	177,260	6.2	3.3	12.2	75,671	16.8	14.3		123,735	14.7
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8		4,916,523	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 31  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Brown Co	73	* *	17	* *	59	* *	11	* *	17	* *	151	81.5 (16)
Cambridge	44	* *	13	* *	30	* *	12	* *	13	* *	101	81.2 (20)
Carroll Co	82	* *	31	* *	72	* *	17	* *	31	* *	198	86.4 (6)
Cass Co	361	61.2 (55)	157	23.6 (30)	319	10.3 (32)	107	16.8 (24)	156	8.3 (27)	907	64.8(103)
Citizens	782	50.4 (93)	224	23.7 (29)	372	10.2 (35)	191	16.8 (24)	218	8.3 (27)	823	70.1 (85)
Civic Ctr	811	46.9(101)	297	11.4 (57)	533	4.1 (87)	178	11.2 (34)	295	5.1 (44)	1,349	64.2(104)
Clark Co	743	69.3 (22)	301	24.3 (25)	513	12.7 (19)	192	22.4 (11)	300	11.3 (14)	1,170	69.5 (87)
Clay City	12	* *	4	* *	8	* *	3	* *	4	* *	37	* *
Clinton	109	47.7(100)	38	* *	78	* *	17	* *	37	* *	193	65.8(100)
Clinton Co	301	76.1 (7)	131	29.8 (13)	240	10.4 (31)	93	* *	130	10.8 (17)	744	66.0 (97)
Comm East	224	43.8(105)	8	* *	3	* *	12	* *	8	* *	1	* *
Cottage Gr	609	56.7 (76)	311	19.0 (41)	564	7.1 (62)	198	9.6 (37)	300	6.3 (38)	855	90.3 (4)
Crawford	71	* *	31	* *	49	* *	24	* *	31	* *	137	77.4 (39)
											286	57.0 (121)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 32  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)				<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Crown Pt	565	82.5 (3)	187	29.9 (12)	330	15.2 (10)	130	20.0 (15)	182	13.2 (9)
Daviess Co	186	51.1 (90)	92	* *	165	7.9 (53)	51	* *	92	* *
Dearborn	317	53.9 (84)	123	8.9 (59)	210	4.8 (81)	78	* *	121	4.1 (52)
Decatur	161	77.0 (6)	61	* *	114	13.2 (17)	39	* *	61	* *
Decatur Co	177	52.5 (87)	83	* *	154	3.2 (90)	57	* *	82	* *
Dekalb Co	322	62.7 (48)	81	* *	149	7.4 (58)	58	* *	80	* *
Dubois Co	265	67.9 (28)	101	36.6 (3)	188	16.0 (9)	85	* *	99	* *
E Chicago	634	59.8 (65)	242	25.6 (21)	443	13.8 (14)	139	5.8 (42)	241	3.7 (56)
Eaton	24	* *	11	* *	15	* *	6	* *	11	* *
Elkhart	1,296	70.5 (17)	467	30.6 (11)	956	10.9 (27)	305	15.1 (28)	464	11.0 (15)
Elwood	114	46.5(104)	36	* *	60	* *	23	* *	36	* *
Fayette Co	236	57.6 (71)	71	* *	160	8.8 (42)	43	* *	71	* *
Floyd Co	427	65.1 (40)	180	17.8 (45)	318	7.9 (53)	125	12.8 (31)	178	7.3 (35)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 33  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)				<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Forest Man	597	57.3 (74)	294	19.0 (41)	585	6.5 (67)	183	12.0 (32)	293	3.8 (54)
Fountain	123	49.6 (94)	42	* *	81	* *	22	* *	42	* *
Franklin C	108	57.4 (73)	35	* *	68	* *	18	* *	33	* *
Fulton	400	50.5 (91)	139	16.5 (49)	257	7.0 (63)	82	* *	137	12.4 (11)
Fulton Co	186	62.4 (49)	74	* *	139	5.0 (78)	46	* *	72	* *
Georgetown	1,030	70.2 (18)	489	35.8 (4)	983	17.2 (5)	309	12.0 (32)	482	5.0 (45)
Gibson Co	191	41.4(106)	76	* *	134	4.5 (84)	40	* *	74	* *
Glenn Pk	527	63.4 (44)	200	22.0 (31)	416	8.7 (44)	127	10.2 (36)	199	3.5 (57)
Goshen	683	78.6 (5)	300	39.0 (1)	543	16.8 (7)	200	18.5 (20)	297	7.1 (37)
Grant Co	584	49.0 (96)	204	11.3 (58)	414	5.3 (75)	132	15.9 (27)	202	5.9 (41)
Grant St	386	48.7 (98)	151	12.6 (56)	311	4.2 (86)	79	* *	149	2.7 (59)
Grassy Crk	909	60.0 (64)	347	25.4 (22)	735	10.6 (29)	252	8.7 (40)	347	4.3 (49)
Greene Co	176	54.5 (82)	66	* *	144	3.5 (89)	37	* *	66	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 34  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Hamilton	615	71.1 (15)	256	32.4 (9)	501	14.4 (11)	170	26.5 (4)	253	12.3 (12)	1,169	81.8 (15)	2,534	27.9 (41)
Hammond	785	69.9 (21)	288	21.2 (35)	599	10.7 (28)	226	8.0 (41)	281	4.3 (49)	1,531	66.0 (97)	3,184	21.8 (30)
Hancock Co	256	66.0 (38)	109	29.4 (14)	214	8.4 (48)	67	* *	106	17.9 (2)	430	74.2 (54)	985	24.6 (36)
Hanna	907	62.0 (53)	449	26.1 (20)	792	14.1 (12)	290	17.2 (23)	442	8.4 (26)	1,266	70.2 (83)	3,389	24.5 (35)
Harrison	234	68.8 (25)	98	* *	189	5.3 (75)	59	* *	96	* *	423	76.8 (42)	917	50.6 (102)
Hendricks	432	66.2 (37)	178	28.7 (16)	264	12.1 (24)	116	28.4 (2)	176	16.5 (5)	584	81.5 (16)	1,464	38.7 (65)
Henry Co	356	67.1 (30)	146	24.0 (28)	270	7.8 (56)	99	* *	144	13.2 (9)	651	71.1 (77)	1,366	52.0 (108)
Hessville	360	60.6 (58)	142	16.9 (48)	283	8.5 (47)	108	9.3 (38)	139	4.3 (49)	707	70.7 (80)	1,433	16.7 (17)
Hispanic C	102	86.3 (2)	64	* *	111	22.5 (2)	33	* *	64	* *	289	54.7(110)	545	12.1 (6)
Howard Co	654	52.6 (86)	294	14.6 (52)	555	7.0 (63)	146	19.9 (16)	292	10.6 (18)	1,343	74.5 (51)	2,761	35.8 (57)
Huntington	240	60.4 (60)	95	* *	180	9.4 (38)	55	* *	95	* *	445	74.8 (50)	951	46.3 (83)
IN0108 Closed	75	* *	29	* *	69	* *	17	* *	27	* *	230	73.9 (59)	422	17.1 (20)
Jackson Co	349	62.2 (51)	162	15.4 (50)	281	8.2 (49)	97	* *	160	4.4 (48)	650	76.5 (43)	1,404	43.1 (74)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 35  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)						Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jasonville	8	* *	6	* *	8	* *	2	* *	6	* *	22	* *
Jasper Co	228	64.9 (41)	84	* *	181	6.6 (66)	62	* *	84	* *	479	53.9(111)
Jay Co	139	73.4 (9)	63	* *	99	* *	37	* *	61	* *	228	69.7 (86)
Jefferson	241	66.4 (36)	82	* *	162	8.6 (46)	64	* *	82	* *	402	78.4 (33)
Jennings	276	58.0 (69)	123	17.9 (44)	223	5.8 (72)	60	* *	122	9.8 (22)	659	78.0 (35)
Johnson Co	743	69.0 (24)	284	26.4 (19)	470	10.6 (29)	180	23.9 (8)	283	9.9 (20)	1,135	77.6 (37)
Kosciusko	375	70.1 (19)	177	35.0 (6)	317	13.6 (16)	136	20.6 (14)	177	9.0 (24)	675	73.6 (60)
Lagrange	127	69.3 (22)	62	* *	110	12.7 (19)	31	* *	61	* *	331	84.3 (10)
Lake Station	488	63.7 (43)	146	21.2 (35)	299	8.7 (44)	90	* *	144	6.3 (38)	906	69.5 (87)
Laporte	424	63.4 (44)	174	35.6 (5)	316	19.6 (4)	112	32.1 (1)	171	21.1 (1)	838	38.1(117)
Main St	835	55.3 (80)	260	14.6 (52)	483	6.2 (70)	172	24.4 (7)	255	5.9 (41)	1,217	74.2 (54)
Marshall	340	66.5 (33)	159	20.1 (39)	275	10.2 (35)	105	24.8 (6)	159	8.2 (30)	651	74.2 (54)
Martin Co	58	* *	28	* *	61	* *	22	* *	28	* *	122	95.1 (1)
											265	38.9 (66)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 36  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)		≤2 Hours TV Viewing/Day (8)	Smoking in Household		
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Marycrest	0	* *	4	* *	7	* *	2	* *	40	* *
Memorial	424	66.5 (33)	6	* *	5	* *	18	* *	6	* *
Memorial	424	66.5 (33)	6	* *	5	* *	18	* *	432	16.2 (16)
Merrillville	3	* *	0	* *	0	* *	0	* *	2	* *
Merrillville	3	* *	0	* *	0	* *	0	* *	5	* *
Methodist	721	46.9(101)	18	* *	13	* *	40	* *	18	* *
Methodist	721	46.9(101)	18	* *	13	* *	40	* *	0	* *
Miami Co	230	57.8 (70)	101	21.8 (32)	190	6.3 (68)	56	* *	101	9.9 (20)
Miami Co	230	57.8 (70)	101	21.8 (32)	190	6.3 (68)	56	* *	527	72.3 (71)
Mich City	439	49.2 (95)	150	26.7 (18)	266	12.8 (18)	95	* *	149	3.4 (58)
Mich City	439	49.2 (95)	150	26.7 (18)	266	12.8 (18)	95	* *	548	66.8 (95)
Moms/Kids	56	* *	35	* *	65	* *	17	* *	35	* *
Moms/Kids	56	* *	35	* *	65	* *	17	* *	213	48.8(112)
Monroe Co	613	76.0 (8)	225	33.3 (7)	462	16.5 (8)	160	23.8 (9)	223	16.6 (4)
Monroe Co	613	76.0 (8)	225	33.3 (7)	462	16.5 (8)	160	23.8 (9)	1,225	83.2 (12)
Montgomery	296	60.5 (59)	117	21.4 (34)	208	5.3 (75)	89	* *	114	7.9 (31)
Montgomery	296	60.5 (59)	117	21.4 (34)	208	5.3 (75)	89	* *	522	63.4(105)
Morgan Co	407	60.4 (60)	153	15.0 (51)	289	4.8 (81)	106	17.9 (21)	147	9.5 (23)
Morgan Co	407	60.4 (60)	153	15.0 (51)	289	4.8 (81)	106	17.9 (21)	649	70.7 (80)
N Arlingto	676	56.2 (79)	333	20.4 (38)	610	7.9 (53)	216	10.6 (35)	320	6.3 (38)
N Arlingto	676	56.2 (79)	333	20.4 (38)	610	7.9 (53)	216	10.6 (35)	569	68.4 (93)
N Liberty	10	* *	6	* *	8	* *	4	* *	6	* *
N Liberty	10	* *	6	* *	8	* *	4	* *	35	* *
N Manchest	71	* *	27	* *	51	* *	14	* *	27	* *
N Manchest	71	* *	27	* *	51	* *	14	* *	163	70.6 (82)
									310	30.0 (43)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 38  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>		
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Randolph	186	57.5 (72)	54	* *	117	10.3 (32)	31	* *	51	* *
Richmond	549	57.0 (75)	196	18.4 (43)	381	10.0 (37)	126	16.7 (26)	195	7.2 (36)
Ripley Co	198	50.5 (91)	72	* *	144	4.9 (79)	51	* *	70	* *
Rush Co	93	* *	40	* *	77	* *	20	* *	39	* *
SB Ireland Rd	636	72.5 (10)	284	24.3 (25)	572	11.7 (25)	193	21.8 (13)	284	10.9 (16)
SB Lafayette	656	72.1 (13)	406	32.5 (8)	801	16.9 (6)	238	18.9 (19)	404	7.9 (31)
Scott Co	228	51.8 (89)	86	* *	166	5.4 (74)	51	* *	83	* *
Shelby Co	283	61.1 (56)	82	* *	184	4.9 (79)	47	* *	82	* *
Shelters	6	* *	7	* *	9	* *	4	* *	7	* *
SJ Reg Ctr	161	66.5 (33)	3	* *	2	* *	5	* *	3	* *
So Calhoun	2,377	55.0 (81)	940	20.6 (37)	1,884	8.8 (42)	608	13.8 (30)	913	7.6 (33)
Spencer Co	86	* *	39	* *	72	* *	21	* *	39	* *
St Francis	54	* *	0	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 39  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)				<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
St V-FLC	435	68.3 (26)	17	* *	12	* *	40	* *	17	* *
Starke Co	189	61.9 (54)	78	* *	176	8.0 (51)	52	* *	73	* *
Steuben Co	254	79.5 (4)	110	19.1 (40)	231	5.6 (73)	54	* *	110	4.5 (47)
Sullivan	135	66.7 (32)	50	* *	75	* *	34	* *	50	* *
Switz""Land	51	* *	21	* *	33	* *	14	* *	21	* *
Tippecanoe	1,114	72.5 (10)	473	28.8 (15)	879	14.0 (13)	299	25.4 (5)	465	17.4 (3)
Tipton Co	53	* *	25	* *	52	* *	14	* *	25	* *
Union Co	42	* *	18	* *	33	* *	7	* *	18	* *
United Fai	411	60.3 (63)	183	17.5 (46)	311	7.4 (58)	121	19.8 (17)	181	10.5 (19)
Valpo	355	71.3 (14)	150	32.0 (10)	267	11.2 (26)	112	22.3 (12)	149	14.1 (6)
Vigo	751	52.3 (88)	283	17.0 (47)	479	4.8 (81)	185	19.5 (18)	278	8.3 (27)
Vincennes	222	46.8(103)	66	* *	143	6.3 (68)	46	* *	66	* *
W 21st Ave	462	52.8 (85)	159	8.2 (60)	301	2.7 (91)	87	* *	158	3.8 (54)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 40  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>		
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Wabash	154	60.4 (60)	78	* *	146	4.1 (87)	29	* *	78	* *
Warren Co	56	* *	17	* *	43	* *	8	* *	17	* *
Warrick Co	248	56.5 (78)	101	13.9 (54)	157	8.9 (41)	64	* *	101	5.9 (41)
Washington	172	64.0 (42)	63	* *	135	12.6 (22)	32	* *	61	* *
Wells Co	154	70.1 (19)	61	* *	109	7.3 (61)	39	* *	61	* *
Westside	535	59.8 (65)	354	28.2 (17)	629	12.7 (19)	223	9.0 (39)	351	4.8 (46)
White Co	221	65.2 (39)	85	* *	139	13.7 (15)	58	* *	84	* *
Whitley Co	220	70.9 (16)	96	* *	163	8.0 (51)	88	* *	95	* *
Wishard	828	62.4 (49)	30	* *	15	* *	61	* *	30	* *
Women""s	0	* *	0	* *	0	* *	0	* *	0	* *
<b>Indiana</b>	<b>46,048</b>	<b>61.9</b>	<b>17,581</b>	<b>23.5</b>	<b>33,025</b>	<b>10.2</b>	<b>11,446</b>	<b>17.2</b>	<b>17,349</b>	<b>8.8</b>
									<b>78,985</b>	<b>71.9</b>
<b>Nation (Prior Year)</b>	<b>1,719,083</b>	<b>62.0</b>	<b>848,761</b>	<b>26.9</b>	<b>1,038,203</b>	<b>19.1</b>	<b>144,421</b>	<b>12.9</b>	<b>206,416</b>	<b>7.2</b>
									<b>744,697</b>	<b>74.8</b>
									<b>3,277,352</b>	<b>10.9</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Action Ctr	98	* *	* *	292	4.1 (7)	14.0(138)	6.8 (9)	97	* *	* *	170 10.0 (33)
Albion	323	10.2 (100)	5.9 (51)	1,073	8.4(126)	3.0 (64)	14.3(126)	389	16.2 (48)	15.7 (93)	717 15.6 (82)
Anderson	2,445	8.6 (54)	6.1 (59)	8,185	8.3(123)	2.4 (27)	12.4 (82)	3,160	17.2 (72)	13.4 (45)	5,510 20.9(118)
Ball Mem	67	* *	* *	73	* *	* *	* *	2	* *	* *	6 * *
Bartholome	1,610	8.7 (61)	7.5 (99)	5,358	5.6 (41)	2.5 (35)	10.6 (40)	2,140	16.5 (53)	14.3 (60)	3,714 9.9 (31)
Bedford	857	7.7 (23)	5.4 (40)	3,083	6.5 (74)	2.1 (17)	11.7 (70)	1,207	16.6 (58)	15.0 (75)	2,122 9.6 (28)
Benton Co	133	5.3 (4)	10.5(130)	608	4.1 (7)	1.3 (2)	14.0(119)	301	22.6(128)	19.9(125)	431 14.2 (70)
Berne	50	* *	* *	310	9.4(134)	3.2 (78)	12.6 (91)	164	16.5 (53)	13.4 (45)	248 18.5(109)
Bicknell	93	* *	* *	404	7.7(115)	1.7 (6)	11.1 (52)	194	15.5 (37)	14.9 (74)	281 13.2 (61)
Blackburn	1,291	12.5 (127)	5.3 (35)	3,483	8.3(123)	6.7(134)	11.0 (50)	1,124	13.2 (8)	11.5 (24)	2,034 33.6(133)
Blackford	279	8.6 (54)	5.4 (40)	1,104	6.0 (56)	3.1 (70)	8.2 (13)	473	12.5 (6)	10.8 (15)	791 6.6 (8)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 42  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Boone Co	605	9.4 (82)	6.4 (69)	2,076	5.7 (46)	3.4 (87)	9.4 (19)	839	15.3 (34)	12.0 (26)		1,306	21.1 (120)
Brazil	605	6.6 (10)	8.6 (120)	2,811	5.1 (24)	3.2 (78)	13.2(104)	1,406	17.3 (77)	15.4 (85)		2,001	9.7 (30)
Brown Co	208	4.8 (2)	9.6 (127)	833	7.9(119)	1.9 (9)	13.8(116)	336	17.6 (81)	16.1(102)		586	6.5 (7)
Cambridge	118	9.3 (79)	5.1 (27)	529	6.2 (63)	3.6 (93)	16.4(138)	255	18.0 (94)	20.4(127)		399	17.5 (99)
Carroll Co	240	7.9 (34)	8.3 (115)	1,016	5.5 (34)	2.3 (22)	15.2(135)	441	16.8 (60)	19.3(123)		759	18.1 (105)
Cass Co	1,108	7.7 (23)	6.6 (79)	4,670	4.7 (14)	2.9 (57)	14.1(124)	2,140	15.2 (32)	17.6(111)		3,505	10.8 (42)
Citizens	1,882	11.1 (117)	5.5 (44)	5,007	8.8(129)	5.7(126)	12.6 (91)	1,767	12.4 (5)	12.6 (29)		2,898	22.6 (123)
Civic Ctr	2,305	13.0 (129)	5.0 (24)	8,381	7.5(112)	2.7 (42)	11.5 (64)	3,306	16.5 (53)	13.3 (41)		5,864	12.7 (57)
Clark Co	1,620	9.4 (82)	5.3 (35)	5,340	8.3(123)	2.3 (22)	13.3(105)	1,983	18.3(101)	17.3(109)		3,679	16.8 (89)
Clark Co	308	9.7 (87)	5.8 (50)	1,077	8.4(126)	4.1(113)	11.3 (56)	358	14.8 (24)	15.4 (85)		759	10.5 (36)
Clay City	36	* *	* *	193	1.6 (1)	3.1 (70)	14.0(119)	98	* *	* *		149	10.7 (40)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 43  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Clinton	297	7.7 (23)	6.4 (69)	1,173	7.7(115)	2.9 (57)	12.0 (76)	508	17.3 (77)	15.2 (78)		838	18.0 (102)
Clinton Co	945	7.1 (15)	7.8 (103)	4,001	6.2 (63)	1.4 (3)	15.1(134)	1,803	18.5(104)	18.6(117)		2,975	9.0 (23)
Comm East	237	11.4 (120)	5.1 (27)	246	8.5(128)	24.0(141)	2.8 (1)	2	* *	* *		5	* *
Comm Munster	20	* *	* *	20	* *	* *	* *	0	* *	* *		6	* *
Cottage Gr	2,323	9.8 (89)	7.4 (95)	7,994	6.8 (88)	3.6 (93)	12.8 (96)	3,056	17.1 (67)	15.1 (76)		4,999	11.8 (49)
Crawford	198	9.1 (73)	6.1 (59)	774	7.0 (96)	3.1 (70)	10.2 (32)	321	16.5 (53)	13.4 (45)		552	10.1 (35)
Crown Pt	1,517	8.8 (64)	7.1 (91)	5,472	5.9 (51)	2.2 (19)	10.8 (45)	2,191	13.4 (13)	9.2 (3)		3,703	12.9 (60)
Daviess Co	607	10.5 (109)	3.3 (2)	2,186	7.2(102)	1.7 (6)	16.6(139)	924	19.8(115)	21.4(130)		1,441	18.0 (102)
Dearborn	928	8.4 (48)	6.8 (84)	3,654	5.4 (31)	2.6 (37)	10.4 (37)	1,519	19.0(111)	12.6 (29)		2,603	13.9 (64)
Decatur	452	8.2 (40)	6.4 (69)	1,787	6.3 (67)	2.6 (37)	10.4 (37)	740	15.1 (30)	14.3 (60)		1,274	25.1 (128)
Decatur Co	582	7.6 (21)	4.5 (16)	2,470	4.9 (17)	2.6 (37)	12.6 (91)	1,094	17.6 (81)	16.0(100)		1,808	7.9 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Dekalb Closed	222	5.4 (5)	8.6 (120)	738	5.0 (19)	2.7 (42)	9.6 (23)	260	18.8(108)	11.2 (21)	518 8.1 (18)
Dekalb Co	361	6.9 (11)	10.0 (128)	1,031	6.6 (79)	3.8 (101)	13.7 (115)	418	22.5 (127)	18.7 (118)	634 9.3 (26)
Dubois Co	701	7.7 (23)	6.8 (84)	2,635	5.9 (51)	3.2 (78)	10.7 (42)	1,049	17.0 (66)	15.3 (83)	1,914 9.6 (28)
E Chicago	1,831	11.4 (120)	5.6 (46)	7,031	6.0 (56)	2.9 (57)	13.5 (111)	3,082	16.8 (60)	14.8 (71)	4,894 11.7 (48)
Eaton	57	* *	* *	240	4.6 (12)	3.3 (83)	13.3 (105)	105	8.6 (1)	11.4 (23)	176 14.8 (76)
Elkhart	3,907	8.3 (43)	6.7 (80)	15,077	5.6 (41)	1.9 (9)	12.1 (78)	6,453	18.3 (101)	15.5 (88)	10,356 8.9 (21)
Elwood	302	9.6 (86)	4.0 (8)	1,129	9.2 (131)	1.9 (9)	10.1 (27)	472	22.9 (130)	12.5 (27)	795 18.0 (102)
Fayette Co	657	8.8 (64)	7.0 (88)	2,359	6.8 (88)	3.1 (70)	10.3 (33)	969	18.9 (109)	12.7 (32)	1,595 22.9 (124)
Floyd Co	1,271	11.0 (115)	4.6 (18)	5,003	8.2 (122)	2.4 (27)	14.5 (129)	1,986	17.6 (81)	16.1 (102)	3,552 14.2 (70)
Forest Man	2,414	11.8 (123)	4.0 (8)	7,311	7.7 (115)	6.2 (129)	10.7 (42)	2,505	13.8 (16)	11.1 (20)	4,408 15.0 (79)
Fountain	327	7.0 (12)	5.5 (44)	1,329	5.1 (24)	2.5 (35)	11.7 (70)	608	20.2 (118)	14.8 (71)	927 12.8 (58)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 45  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Franklin C	309	10.4 (105)	6.1 (59)	1,128	8.0(120)	3.5 (91)	12.9 (99)	466	18.0 (94)	15.9 (96)		765	31.1 (132)
Fulton	1,190	8.6 (54)	6.1 (59)	3,790	6.0 (56)	2.8 (49)	9.7 (25)	1,185	16.1 (47)	13.2 (39)		2,508	5.4 (2)
Fulton Co	536	8.0 (38)	5.2 (32)	1,950	5.2 (26)	3.8(101)	12.5 (86)	801	17.1 (67)	18.9(119)		1,363	15.9 (85)
Georgetown	3,502	9.9 (91)	7.0 (88)	12,097	5.9 (51)	3.6 (93)	13.4(108)	4,703	17.6 (81)	16.2(104)		7,713	14.0 (67)
Gibson Co	522	8.4 (48)	2.9 (1)	2,146	6.3 (67)	2.4 (27)	11.8 (74)	879	18.0 (94)	12.6 (29)		1,550	10.8 (42)
Glenn Pk	1,570	11.5 (122)	4.6 (18)	6,363	5.7 (46)	3.6 (93)	9.4 (19)	2,818	13.2 (8)	9.4 (4)		4,843	25.1 (128)
Goshen	1,958	7.0 (12)	9.2 (124)	7,561	4.5 (10)	2.0 (14)	11.3 (56)	3,259	17.2 (72)	15.3 (83)		5,239	4.3 (1)
Grant Co	1,670	10.3 (104)	5.6 (46)	6,263	6.8 (88)	4.1(113)	13.5(111)	2,616	17.7 (88)	17.1(108)		4,383	26.1 (131)
Grant St	1,225	12.2 (126)	3.4 (3)	4,581	9.2(131)	3.7 (98)	11.8 (74)	1,896	13.2 (8)	10.7 (12)		3,344	25.9 (130)
Grassy Crk	3,056	9.9 (91)	5.2 (32)	10,005	6.9 (94)	4.6(120)	12.4 (82)	3,730	15.0 (29)	13.0 (37)		6,338	21.8 (122)
Greene Co	520	8.3 (43)	4.8 (20)	2,015	7.6(113)	2.4 (27)	13.3(105)	833	16.9 (65)	17.0(107)		1,443	10.7 (40)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 46  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Hamilton	1,881	9.1 (73)	6.4 (69)	7,291	6.1 (61)	3.4 (87)	10.3 (33)	2,995	14.8 (24)	12.8 (34)		5,233	13.9 (64)
Hammond	2,227	10.1 (97)	5.4 (40)	9,010	4.7 (14)	3.3 (83)	11.4 (62)	3,925	14.6 (22)	14.1 (57)		6,457	17.1 (93)
Hancock Co	840	9.0 (69)	6.2 (63)	2,852	9.5(136)	1.5 (4)	14.0(119)	998	18.1 (98)	15.2 (78)		1,938	17.9 (101)
Hanna	2,894	8.3 (43)	7.0 (88)	9,716	7.3(106)	3.7 (98)	13.5(111)	3,626	17.9 (89)	15.6 (89)		6,104	15.3 (80)
Harrison	691	9.8 (89)	5.1 (27)	2,721	9.4(134)	1.9 (9)	15.6(136)	1,110	18.7(107)	19.8(124)		2,000	14.9 (78)
Hendricks	1,320	8.2 (40)	7.7 (101)	3,914	7.4(109)	4.7(122)	11.6 (66)	1,330	17.9 (89)	13.8 (52)		2,389	18.4 (107)
Henry Co	979	9.3 (79)	6.4 (69)	3,752	4.0 (6)	4.5(119)	7.7 (10)	1,639	13.4 (13)	10.1 (9)		2,810	10.0 (33)
Hessville	1,116	10.8 (114)	6.5 (75)	4,273	5.5 (34)	2.8 (49)	12.2 (79)	1,798	15.4 (35)	14.6 (67)		3,093	7.0 (10)
Hispanic C	374	8.0 (38)	10.2 (129)	1,479	5.3 (29)	3.8(101)	14.4(127)	635	20.3(120)	18.9(119)		995	10.6 (37)
Howard Co	1,965	9.4 (82)	5.2 (32)	7,755	6.7 (84)	3.3 (83)	11.7 (70)	3,323	18.1 (98)	14.5 (66)		5,707	19.9 (112)
Huntington	719	10.2 (100)	5.3 (35)	2,671	7.6(113)	3.0 (64)	9.0 (17)	1,102	14.8 (24)	10.8 (15)		1,906	10.6 (37)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 47  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
IN0108 Closed	146	6.2 (7)	8.2 (113)	615	4.7 (14)	3.4 (87)	13.8 (116)	287	22.6 (128)	14.3 (60)	412 17.2 (94)
IN2305 Closed	1	* *	* *	1	* *	* *	* *	0	* *	* *	0 * *
IN2603 Closed	0	* *	* *	1	* *	* *	* *	0	* *	* *	0 * *
Jackson Co	1,000	7.0 (12)	5.9 (51)	3,799	6.7 (84)	1.8 (8)	12.6 (91)	1,519	21.3 (125)	18.3 (116)	2,726 9.4 (27)
Jasonville	22	* *	* *	101	15.8 (140)	2.0 (14)	8.9 (16)	44	* *	* *	68 * *
Jasper Co	652	10.4 (105)	6.9 (86)	2,708	6.4 (70)	4.9 (125)	12.7 (95)	1,214	17.5 (79)	14.3 (60)	2,010 18.7 (110)
Jay Co	441	11.8 (123)	3.9 (6)	1,525	7.3 (106)	2.7 (42)	12.4 (82)	580	14.8 (24)	17.6 (111)	1,022 15.8 (84)
Jefferson	697	8.6 (54)	7.7 (101)	2,572	7.3 (106)	3.0 (64)	14.0 (119)	1,018	21.0 (124)	21.0 (128)	1,775 12.5 (56)
Jennings	771	9.1 (73)	7.8 (103)	3,397	7.2 (102)	2.9 (57)	12.9 (99)	1,632	15.7 (41)	13.1 (38)	2,569 21.1 (120)
Johnson Co	2,054	7.6 (21)	7.4 (95)	7,238	4.9 (17)	3.6 (93)	9.4 (19)	2,838	15.4 (35)	12.7 (32)	5,087 12.0 (53)
K-ville closed	283	10.6 (110)	6.7 (80)	906	10.0 (138)	2.4 (27)	13.6 (114)	309	17.2 (72)	21.0 (128)	628 9.9 (31)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Kosciusko	1,208	8.7 (61)	6.7 (80)	4,359	6.6 (79)	1.9 (9)	13.4(108)	1,731	18.9(109)	17.6(111)	2,960 11.5 (45)
Lagrange	393	10.7 (112)	5.3 (35)	1,678	5.8 (49)	2.4 (27)	9.8 (26)	723	20.2(118)	13.3 (41)	1,205 9.0 (23)
Lake Station	1,314	8.6 (54)	5.9 (51)	5,331	5.0 (19)	4.0(111)	10.8 (45)	2,312	13.8 (16)	11.2 (21)	3,878 10.6 (37)
Laporte	1,253	9.3 (79)	5.6 (46)	4,727	7.0 (96)	2.2 (19)	14.6(131)	2,015	17.9 (89)	14.8 (71)	3,271 8.7 (19)
Ligonier closed	202	7.9 (34)	9.4 (125)	813	6.5 (74)	3.3 (83)	14.6(131)	302	17.9 (89)	19.9(125)	610 17.5 (99)
Main St	2,283	10.6 (110)	4.4 (14)	7,951	6.2 (63)	6.3(131)	9.6 (23)	3,007	14.4 (21)	11.9 (25)	5,390 17.2 (94)
Marshall	1,007	7.7 (23)	7.8 (103)	3,893	7.0 (96)	1.0 (1)	16.0(137)	1,648	19.0(111)	17.9(114)	2,824 6.8 (9)
Martin Co	189	7.9 (34)	4.8 (20)	729	6.6 (79)	1.5 (4)	10.8 (45)	298	14.1 (20)	9.7 (7)	525 5.9 (4)
Marycrest	79	* *	* *	599	4.5 (10)	2.3 (22)	16.9(140)	354	19.2(113)	19.2(122)	477 24.5 (126)
Memorial	943	11.1 (117)	6.7 (80)	950	5.5 (34)	8.1(135)	4.0 (3)	0	* *	* *	41 * *
Merrillville	10	* *	* *	19	* *	* *	* *	6	* *	* *	8 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number % (Rank)
Meth South	24	* *	* *	22	* *	* *	* *	0	* *	* *	7 * *
Methodist	855	10.2 (100)	6.3 (67)	878	9.6 (137)	15.6 (139)	4.6 (4)	8	* *	* *	29 * *
Miami Co	705	10.4 (105)	7.1 (91)	2,921	5.9 (51)	2.6 (37)	11.3 (56)	1,344	14.0 (19)	12.9 (35)	2,147 14.1 (68)
Mich City	1,253	12.1 (125)	4.3 (11)	4,398	7.4 (109)	3.5 (91)	12.9 (99)	1,777	16.4 (51)	13.4 (45)	2,933 18.2 (106)
Midwifery	1	* *	* *	1	* *	* *	* *	0	* *	* *	0 * *
Mitchell	45	* *	* *	231	3.5 (4)	2.2 (19)	9.5 (22)	104	16.3 (50)	9.6 (6)	172 13.4 (63)
Moms/Kids	299	10.7 (112)	5.7 (49)	1,232	5.6 (41)	3.9 (108)	11.6 (66)	565	15.9 (42)	15.9 (96)	871 11.8 (49)
Monroe Co	1,907	7.8 (31)	8.5 (119)	7,614	5.3 (29)	2.9 (57)	12.2 (79)	3,232	18.6 (105)	15.7 (93)	5,365 14.1 (68)
Montgomery	826	9.0 (69)	8.1 (111)	3,087	6.7 (84)	2.8 (49)	12.5 (86)	1,308	19.3 (114)	18.2 (115)	2,138 14.4 (72)
Morgan Co	1,263	7.7 (23)	5.1 (27)	4,447	6.6 (79)	2.6 (37)	12.5 (86)	1,715	18.0 (94)	14.3 (60)	3,131 18.8 (111)
N Arlingto	2,260	11.3 (119)	6.0 (56)	7,785	6.1 (61)	6.3 (131)	11.0 (50)	3,034	16.6 (58)	13.5 (50)	5,087 19.9 (112)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
N Liberty	33	* *	* *	178	3.4 (2)	2.8 (49)	5.6 (7)	83	* *	* *		128	7.0 (10)
N Manchest	184	8.2 (40)	6.5 (75)	787	7.4(109)	2.4 (27)	13.0(102)	350	20.3(120)	14.0 (54)		587	8.0 (17)
Newton Co	174	9.2 (77)	6.9 (86)	695	9.2(131)	5.8(127)	14.2(125)	299	14.7 (23)	13.4 (45)		511	20.5 (115)
Northlake	16	* *	* *	16	* *	* *	* *	0	* *	* *		5	* *
Northwest	1,994	8.8 (64)	5.9 (51)	6,863	6.4 (70)	2.8 (49)	14.4(127)	2,649	17.1 (67)	17.3(109)		4,350	14.8 (76)
Ohio Co	25	* *	* *	128	6.3 (67)	4.7(122)	10.9 (49)	64	* *	* *		97	* *
Orange Co	491	10.4 (105)	7.1 (91)	2,029	7.0 (96)	2.3 (22)	11.3 (56)	913	18.6(105)	13.3 (41)		1,485	8.9 (21)
Owen Co	371	7.3 (18)	9.4 (125)	1,501	7.1(100)	3.9(108)	12.3 (81)	638	17.1 (67)	15.2 (78)		1,096	7.7 (13)
Parke Co	279	5.4 (5)	4.3 (11)	1,061	6.0 (56)	4.4(117)	10.7 (42)	430	13.3 (12)	10.9 (18)		759	13.3 (62)
Perry Co	362	11.0 (115)	3.9 (6)	1,267	25.8(141)	3.7 (98)	31.3(141)	517	13.2 (8)	10.3 (10)		865	20.2 (114)
Pike Co	190	12.6 (128)	7.9 (108)	689	13.4(139)	2.9 (57)	12.8 (96)	251	21.5(126)	16.7(106)		476	6.1 (5)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators												(3,4)		
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Portage	1,099	8.6 (54)	7.4 (95)		3,921	5.7 (46)	2.7 (42)	10.3 (33)		1,455	15.5 (37)	10.9 (18)	2,775	12.3 (54)
Posey Co	272	9.2 (77)	5.1 (27)		1,064	5.9 (51)	3.8(101)	10.6 (40)		425	15.5 (37)	12.5 (27)	745	7.8 (14)
Pulaski Co	269	9.7 (87)	4.8 (20)		1,084	5.4 (31)	4.4(117)	11.6 (66)		469	13.0 (7)	15.6 (89)	800	12.8 (58)
Purdue	339	6.2 (7)	8.0(110)		1,228	3.4 (2)	4.6(120)	6.4 (8)		487	13.6 (15)	6.8 (1)	831	11.2 (44)
Putnam Co	730	8.5 (52)	8.1(111)		2,814	6.7 (84)	3.4 (87)	12.5 (86)		1,194	16.8 (60)	14.1 (57)	1,989	6.4 (6)
Randolph	517	8.3 (43)	6.0 (56)		1,718	5.6 (41)	3.1 (70)	8.3 (14)		623	13.8 (16)	9.5 (5)	1,156	16.0 (87)
Richmond	1,503	7.8 (31)	5.9 (51)		5,608	6.0 (56)	2.7 (42)	11.6 (66)		2,266	18.2(100)	14.7 (70)	3,837	16.3 (88)
Ripley Co	610	8.7 (61)	6.2 (63)		2,437	5.4 (31)	2.8 (49)	12.4 (82)		1,030	16.0 (45)	15.2 (78)	1,764	18.4(107)
Rush Co	292	9.9 (91)	6.2 (63)		1,139	5.0 (19)	5.8(127)	10.1 (27)		463	14.9 (28)	14.0 (54)	779	15.7 (83)
SB Ireland Rd	1,987	8.5 (52)	7.9(108)		8,040	5.5 (34)	3.1 (70)	10.3 (33)		3,386	11.8 (3)	9.8 (8)	5,377	15.3 (80)
SB Lafayette	2,228	10.1 (97)	6.5 (75)		10,894	5.2 (26)	2.8 (49)	11.5 (64)		5,056	16.2 (48)	13.3 (41)	7,865	16.9 (90)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Scott Co	658	9.0 (69)	3.6 (4)	2,684	6.5 (74)	2.9 (57)	10.8 (45)	1,150	15.9 (42)	15.1 (76)	1,897 11.5 (45)
Shelby Co	831	7.3 (18)	8.3 (115)	3,110	6.6 (79)	2.3 (22)	14.5 (129)	1,224	15.2 (32)	19.1 (121)	2,162 15.9 (85)
Shelters	33	* *	* *	258	6.2 (63)	6.6 (133)	14.7 (133)	143	9.1 (2)	15.4 (85)	207 14.5 (74)
SJ Reg Ctr	386	8.3 (43)	7.8 (103)	384	4.2 (9)	13.3 (137)	4.9 (5)	1	* *	* *	14 * *
So Calhoun	7,167	9.9 (91)	4.0 (8)	27,683	7.2 (102)	3.2 (78)	12.5 (86)	12,306	17.1 (67)	13.8 (52)	19,399 20.8 (117)
Spencer Co	283	6.4 (9)	4.9 (23)	1,123	7.1 (100)	2.0 (14)	13.4 (108)	492	20.9 (123)	15.2 (78)	841 5.8 (3)
St Anthony	20	* *	* *	20	* *	* *	* *	0	* *	* *	4 * *
St Francis	55	* *	* *	55	* *	* *	* *	0	* *	* *	0 * *
St V-FLC	512	8.4 (48)	4.5 (16)	542	3.5 (4)	21.8 (140)	3.9 (2)	7	* *	* *	21 * *
Starke Co	585	7.2 (17)	8.2 (113)	2,330	5.5 (34)	2.1 (17)	14.0 (119)	1,005	18.4 (103)	16.0 (100)	1,778 17.0 (91)
Steuben Co	833	7.9 (34)	7.3 (94)	3,925	5.0 (19)	3.8 (101)	11.2 (54)	1,924	17.6 (81)	14.2 (59)	2,876 11.6 (47)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
StMargaret	15	* *	* *	15	* *	* *	* *	0	* *	* *	5 * *
Sullivan	403	7.4 (20)	5.0 (24)	1,582	6.8 (88)	3.8 (101)	11.7 (70)	702	19.8 (115)	15.8 (95)	1,114 14.5 (74)
Switz""Land	141	5.0 (3)	5.0 (24)	561	5.0 (19)	6.2 (129)	8.0 (11)	252	15.1 (30)	10.7 (12)	413 11.9 (52)
Tippecanoe	3,370	7.8 (31)	8.8 (122)	13,388	5.2 (26)	3.0 (64)	12.8 (96)	5,860	17.6 (81)	15.9 (96)	9,724 17.4 (97)
Tipton Co	205	10.2 (100)	5.4 (40)	822	8.9 (130)	2.8 (49)	11.3 (56)	349	16.0 (45)	14.6 (67)	603 7.3 (12)
Union Co	128	4.7 (1)	7.8 (103)	562	4.6 (12)	3.0 (64)	10.1 (27)	239	20.5 (122)	10.5 (11)	420 21.0 (119)
United Fai	947	8.6 (54)	6.5 (75)	3,693	5.5 (34)	4.1 (113)	10.1 (27)	1,728	16.8 (60)	10.8 (15)	2,585 20.5 (115)
Valpo	1,057	8.8 (64)	8.3 (115)	3,965	5.8 (49)	2.7 (42)	11.3 (56)	1,579	15.9 (42)	13.2 (39)	2,787 13.9 (64)
Vigo	2,240	9.1 (73)	6.3 (67)	7,518	6.8 (88)	3.1 (70)	11.4 (62)	2,758	16.8 (60)	15.6 (89)	5,028 11.8 (49)
Vincennes	701	10.1 (97)	5.3 (35)	2,484	7.2 (102)	4.0 (111)	10.1 (27)	1,054	16.5 (53)	13.5 (50)	1,588 7.9 (15)
W 21st Ave	1,306	14.3 (130)	3.7 (5)	5,425	6.5 (74)	4.7 (122)	8.1 (12)	2,438	12.2 (4)	7.8 (2)	3,928 24.0 (125)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Wabash	454	8.8 (64)	4.4 (14)	1,781	6.5 (74)	2.4 (27)	11.1 (52)	782	16.4 (51)	14.6 (67)	1,266 8.8 (20)
Warren Co	154	7.1 (15)	9.1 (123)	710	5.5 (34)	4.1 (113)	9.2 (18)	319	20.1 (117)	12.9 (35)	500 17.0 (91)
Warrick Co	696	9.9 (91)	6.0 (56)	2,712	7.8 (118)	3.9 (108)	13.9 (118)	1,148	17.2 (72)	15.9 (96)	1,936 12.3 (54)
Washington	531	9.4 (82)	4.3 (11)	2,229	6.4 (70)	3.0 (64)	10.4 (37)	975	17.6 (81)	14.4 (65)	1,619 9.0 (23)
Wells Co	392	7.7 (23)	6.4 (69)	1,543	6.4 (70)	3.1 (70)	8.6 (15)	647	15.5 (37)	10.7 (12)	1,129 17.2 (94)
Westside	2,203	8.4 (48)	7.4 (95)	7,604	6.8 (88)	3.2 (78)	13.0 (102)	2,922	17.9 (89)	16.5 (105)	4,726 14.4 (72)
White Co	557	7.7 (23)	8.3 (115)	2,232	5.6 (41)	2.7 (42)	11.2 (54)	945	17.2 (72)	14.0 (54)	1,646 24.8 (127)
Whitley Co	633	9.0 (69)	6.2 (63)	2,346	6.9 (94)	3.8 (101)	12.0 (76)	995	17.5 (79)	15.6 (89)	1,676 17.4 (97)
Wishard	991	10.0 (96)	7.5 (99)	1,011	8.0 (120)	9.7 (136)	5.1 (6)	2	* *	* *	22 * *
Women""s	2	* *	* *	3	* *	* *	* *	0	* *	* *	1 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 55  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Indiana	134,341	9.3	6.2	488,888	6.5	3.4	12.0	199,830	16.6	14.3	335,581	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 56  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>		
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Action Ctr	103	60.2 (69)	61	* *	57	* *	61	* *	58	* *
Albion	481	60.7 (67)	263	20.2 (44)	253	9.5 (51)	271	12.9 (45)	259	7.3 (44)
Anderson	2,676	56.7 (92)	1,596	18.0 (56)	1,647	9.2 (56)	1,524	13.0 (43)	1,583	7.9 (37)
Ball Mem	40	* *	24	* *	20	* *	25	* *	23	* *
Bartholome	1,792	64.3 (47)	1,148	18.3 (53)	1,123	8.8 (59)	1,067	12.4 (49)	1,124	7.5 (41)
Bedford	964	66.2 (33)	612	14.9 (83)	620	7.7 (75)	570	11.9 (56)	606	6.9 (54)
Benton Co	159	57.9 (88)	101	20.8 (37)	115	12.2 (21)	95	* *	99	* *
Berne	75	* *	52	* *	52	* *	53	* *	52	* *
Bicknell	111	50.5(115)	70	* *	88	* *	62	* *	68	* *
Blackburn	1,341	56.0 (95)	735	16.6 (70)	777	5.4 (105)	730	9.3 (87)	722	6.0 (67)
Blackford	304	66.1 (35)	218	15.6 (80)	233	7.3 (80)	204	13.7 (35)	216	8.3 (26)
Boone Co	675	56.4 (93)	391	21.7 (29)	437	9.4 (53)	375	14.1 (30)	386	7.3 (44)
Brazil	650	58.3 (85)	495	16.0 (76)	564	7.4 (79)	451	8.0 (102)	487	6.0 (67)
									1,477	68.5 (88)
									1,507	51.7 (117)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 57  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Brown Co	242	70.2 (16)	172	21.5 (32)	171	12.9 (17)	157	16.6 (17)	167	5.4 (80)	371	79.5 (19)	480	49.4 (108)
Cambridge	140	65.7 (40)	100	21.0 (35)	110	10.0 (43)	94	* *	99	* *	266	72.2 (61)	300	48.7 (104)
Carroll Co	275	65.1 (42)	206	24.3 (19)	217	12.0 (22)	184	17.4 (13)	200	8.5 (24)	475	81.1 (12)	553	32.2 (57)
Cass Co	1,222	59.7 (71)	915	20.9 (36)	988	10.5 (35)	833	8.2 (98)	890	4.9 (94)	2,323	64.5(104)	2,556	22.6 (29)
Citizens	1,964	51.4(113)	980	19.1 (46)	1,029	9.4 (53)	983	11.1 (62)	939	6.8 (56)	1,878	80.0 (15)	3,129	22.0 (27)
Civic Ctr	2,569	45.3(128)	1,750	9.1 (118)	1,784	5.3 (107)	1,597	8.2 (98)	1,722	4.5(101)	3,555	50.8(122)	4,930	16.8 (16)
Clark Co	2,142	62.3 (53)	1,269	21.7 (29)	1,234	10.8 (31)	1,263	13.6 (36)	1,249	9.0 (18)	2,148	70.2 (76)	3,244	37.4 (74)
Clark Co	149	49.7(117)	160	16.9 (67)	166	7.2 (81)	133	6.8 (116)	154	3.2(116)	381	60.6(112)	688	32.6 (58)
Clay City	38	* *	32	* *	31	* *	30	* *	32	* *	101	70.3 (74)	105	55.2 (131)
Clinton	334	51.8(112)	230	16.1 (75)	241	7.9 (71)	218	13.8 (34)	226	8.0 (33)	547	68.4 (89)	659	53.4 (126)
Clinton Co	1,046	71.8 (13)	801	18.5 (51)	817	9.1 (57)	725	9.4 (85)	788	4.9 (94)	1,955	83.2 (9)	2,162	24.9 (37)
Comm East	250	45.2(129)	9	* *	7	* *	14	* *	9	* *	2	* *	249	35.3 (68)
Comm Munster	9	* *	6	* *	6	* *	6	* *	6	* *	0	* *	10	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 58  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)												
<b>Clinic</b>	<b>Breastfeeding</b> (6)						<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Cottage Gr	2,325	53.6(103)	1,642	15.8 (78)	1,759	7.6 (76)	1,455	7.2 (110)	1,515	5.3 (83)	2,759	87.7 (4)
Crawford	214	59.8 (70)	170	15.3 (81)	163	9.8 (45)	153	12.4 (49)	167	7.2 (47)	345	79.7 (18)
Crown Pt	1,708	81.5 (3)	1,139	23.6 (22)	1,064	12.9 (17)	1,014	13.4 (40)	1,101	8.0 (33)	2,344	87.4 (5)
Daviess Co	686	52.3(110)	428	12.6 (101)	493	4.7 (114)	421	7.1 (111)	424	4.2(105)	987	69.2 (82)
Dearborn	1,032	53.6(103)	738	8.9 (119)	738	4.9 (111)	673	8.8 (91)	713	5.0 (92)	1,615	78.3 (23)
Decatur	492	74.8 (7)	338	19.8 (45)	345	10.4 (38)	309	15.5 (21)	329	8.2 (30)	798	80.7 (13)
Decatur Co	653	58.0 (87)	502	12.2 (107)	516	4.8 (112)	450	9.3 (87)	481	4.6 (99)	1,168	74.3 (44)
Dekalb Closed	158	57.0 (90)	159	13.2 (96)	145	4.8 (112)	141	9.9 (74)	157	5.1 (86)	272	69.1 (84)
Dekalb Co	524	59.7 (71)	213	16.4 (72)	213	6.1 (98)	219	14.2 (27)	207	8.7 (21)	458	72.5 (56)
Dubois Co	807	72.4 (10)	587	29.3 (9)	566	14.5 (11)	530	13.0 (43)	557	6.5 (61)	1,141	70.6 (71)
E Chicago	2,021	59.6 (73)	1,282	22.5 (25)	1,402	11.7 (27)	1,187	3.5 (122)	1,252	2.2(121)	3,290	36.0(128)
Eaton	59	* *	42	* *	42	* *	39	* *	42	* *	91	* *
Elkhart	4,318	67.1 (31)	2,884	24.4 (18)	3,105	11.4 (28)	2,676	10.6 (70)	2,788	5.8 (72)	6,900	72.9 (52)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 59  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Elwood	343	47.8(124)	213	16.4 (72)	236	8.5 (61)	188	10.1 (73)	209	5.7 (75)	502	69.7 (79)	670	56.6 (135)
Fayette Co	721	59.4 (75)	481	14.8 (84)	491	6.7 (90)	444	7.9 (103)	475	3.4(114)	1,038	70.8 (68)	1,406	46.7 (98)
Floyd Co	1,480	61.0 (62)	1,069	13.1 (97)	1,045	8.0 (68)	959	9.9 (74)	1,016	5.1 (86)	2,114	73.6 (47)	2,928	46.0 (93)
Forest Man	2,562	52.1(111)	1,623	12.4 (104)	1,787	5.4 (105)	1,583	6.9 (114)	1,593	3.2(116)	2,109	52.1(121)	3,785	17.3 (17)
Fountain	379	54.1(101)	237	17.3 (62)	276	10.1 (40)	217	9.7 (79)	234	6.8 (56)	660	79.8 (17)	809	45.0 (90)
Franklin C	333	54.7 (99)	228	10.5 (115)	241	7.5 (78)	207	8.7 (93)	221	3.2(116)	502	74.5 (41)	663	49.3 (107)
Fulton	1,307	48.0(123)	866	8.4 (122)	817	3.8 (121)	787	9.8 (78)	850	4.6 (99)	1,283	56.7(117)	2,268	35.1 (67)
Fulton Co	587	58.4 (83)	388	15.2 (82)	391	8.2 (65)	369	11.9 (56)	378	6.6 (58)	839	68.8 (87)	1,110	21.9 (26)
Georgetown	3,966	68.3 (24)	2,620	29.3 (9)	2,860	14.6 (10)	2,441	8.6 (95)	2,540	4.3(103)	5,018	56.2(118)	7,153	10.6 (8)
Gibson Co	616	44.5(131)	466	11.6 (110)	446	4.7 (114)	412	9.7 (79)	452	5.5 (77)	942	73.1 (50)	1,262	47.5 (100)
Glenn Pk	1,731	64.9 (43)	1,255	19.0 (48)	1,302	8.1 (67)	1,135	7.8 (105)	1,232	3.9(107)	3,041	57.8(116)	3,656	12.0 (9)
Goshen	2,232	78.4 (5)	1,469	35.6 (3)	1,579	15.5 (9)	1,370	15.6 (19)	1,430	7.0 (51)	3,523	70.1 (78)	4,367	14.5 (14)
Grant Co	1,831	48.6(120)	1,285	12.3 (106)	1,374	5.5 (103)	1,190	8.7 (93)	1,261	4.8 (98)	2,861	65.2(103)	3,540	33.3 (60)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 60  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Grant St	1,312	49.4(118)	924	10.7 (114)	932	5.0 (110)	832	4.0 (121)	899	3.0(120)	2,018	35.5(129)	2,667	24.2 (33)
Grassy Crk	3,342	59.4 (75)	2,122	21.7 (29)	2,336	9.6 (48)	2,018	8.8 (91)	2,081	5.5 (77)	3,900	65.3(102)	5,912	14.4 (13)
Greene Co	588	57.1 (89)	425	12.5 (102)	431	6.5 (94)	382	10.2 (72)	417	7.0 (51)	767	87.9 (3)	1,086	41.5 (86)
Hamilton	2,140	69.4 (19)	1,526	26.0 (14)	1,532	12.9 (17)	1,410	16.0 (18)	1,466	9.0 (18)	3,175	78.3 (23)	4,353	30.2 (52)
Hammond	2,550	67.0 (32)	1,801	20.3 (42)	1,834	10.5 (35)	1,637	7.9 (103)	1,755	5.1 (86)	4,216	63.1(106)	5,257	21.4 (24)
Hancock Co	979	64.7 (44)	648	18.5 (51)	639	8.0 (68)	622	18.3 (7)	638	8.8 (20)	1,064	72.8 (54)	1,746	27.2 (46)
Hanna	3,373	60.6 (68)	2,151	25.0 (15)	2,214	13.6 (13)	2,096	14.0 (31)	2,106	8.6 (22)	3,617	65.4(101)	5,862	25.8 (41)
Harrison	772	69.4 (19)	589	16.3 (74)	583	7.2 (81)	523	15.1 (22)	580	10.0 (11)	1,207	72.4 (58)	1,608	52.2 (119)
Hendricks	1,506	67.5 (29)	891	23.2 (24)	821	13.6 (13)	850	18.2 (8)	857	10.3 (9)	1,427	83.1 (10)	2,544	34.3 (65)
Henry Co	1,067	68.7 (22)	732	17.1 (65)	755	7.2 (81)	681	15.0 (23)	714	9.7 (13)	1,772	59.8(113)	2,143	51.1 (115)
Hessville	1,232	61.0 (62)	879	14.8 (84)	877	7.2 (81)	807	6.6 (117)	856	3.6(112)	1,944	63.1(106)	2,509	23.8 (31)
Hispanic C	427	86.9 (2)	319	48.9 (2)	359	26.7 (3)	303	6.9 (114)	311	3.9(107)	670	59.7(114)	809	7.4 (3)
Howard Co	2,179	54.3(100)	1,618	13.6 (92)	1,646	6.7 (90)	1,470	12.0 (54)	1,580	8.0 (33)	3,594	69.6 (80)	4,368	26.1 (42)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 61  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)		<b>Smoking in Household</b>	
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Huntington	803	60.9 (65)	552	13.9 (90)	560	6.4 (95)	525	11.0 (64)	546	6.6 (58)
IN0108 Closed	228	72.4 (10)	141	27.0 (11)	132	12.9 (17)	132	13.6 (36)	135	8.1 (31)
IN2603 Closed	0	* *	0	* *	0	* *	0	* *	0	* *
Jackson Co	1,130	62.0 (57)	819	17.2 (64)	824	7.8 (73)	743	9.3 (87)	803	6.0 (67)
Jasonville	28	* *	22	* *	20	* *	22	* *	22	* *
Jasper Co	752	67.4 (30)	561	16.8 (68)	576	9.0 (58)	516	17.1 (14)	545	9.7 (13)
Jay Co	485	66.2 (33)	317	17.4 (61)	309	5.5 (103)	294	15.6 (19)	307	7.8 (39)
Jefferson	767	64.5 (46)	513	20.7 (38)	532	10.2 (39)	478	14.0 (31)	499	9.2 (17)
Jennings	851	54.8 (98)	639	10.8 (113)	675	3.9 (120)	567	10.8 (67)	636	5.7 (75)
Johnson Co	2,340	65.9 (38)	1,571	20.4 (39)	1,491	9.7 (46)	1,459	14.5 (26)	1,521	7.2 (47)
K-ville closed	221	53.4(105)	215	7.9 (124)	220	3.2 (125)	185	7.0 (112)	215	3.3(115)
Kosciusko	1,399	68.0 (26)	927	26.2 (13)	966	11.9 (24)	910	12.5 (48)	916	7.4 (43)
Lagrange	488	66.0 (37)	354	17.8 (58)	369	10.0 (43)	326	17.8 (12)	351	10.5 (7)
	772	76.8 (30)							1,005	47.5 (100)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 62  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Lake Station	1,449	63.3 (52)	1,023	17.3 (62)	1,038	10.5 (35)	896	7.3 (109)	993	5.9 (70)	2,463	66.9 (97)	2,984	31.2 (54)
Laporte	1,409	66.1 (35)	948	33.2 (5)	966	19.2 (5)	855	18.1 (10)	904	12.9 (4)	2,168	32.7(130)	2,790	44.1 (89)
Ligonier closed	154	79.9 (4)	161	24.8 (16)	169	14.2 (12)	133	8.3 (97)	151	5.3 (83)	328	68.9 (86)	458	25.3 (40)
Main St	2,516	58.8 (80)	1,610	14.1 (89)	1,613	6.4 (95)	1,491	13.6 (36)	1,546	7.2 (47)	2,262	71.6 (64)	3,957	28.0 (48)
Marshall	1,127	67.8 (28)	794	21.4 (33)	798	11.4 (28)	737	14.7 (25)	777	8.4 (25)	1,770	66.1 (99)	2,245	9.1 (5)
Martin Co	201	53.7(102)	152	15.8 (78)	163	8.6 (60)	137	12.4 (49)	147	10.2 (10)	318	92.1 (1)	398	29.9 (51)
Marycrest	80	* *	88	* *	115	37.4 (2)	72	* *	86	* *	359	73.0 (51)	311	5.5 (2)
Memorial	731	68.0 (26)	187	26.7 (12)	171	7.0 (87)	204	13.2 (41)	187	7.5 (41)	0	* *	744	14.2 (12)
Merrillville	11	* *	2	* *	3	* *	1	* *	1	* *	6	* *	19	* *
Meth South	22	* *	15	* *	10	* *	15	* *	15	* *	0	* *	22	* *
Methodist	814	47.1(125)	44	* *	36	* *	65	* *	44	* *	7	* *	815	36.4 (71)
Miami Co	765	59.3 (77)	564	14.2 (88)	566	7.1 (86)	520	14.2 (27)	557	7.9 (37)	1,445	70.3 (74)	1,639	39.5 (78)
Mich City	1,380	48.5(121)	864	23.5 (23)	917	12.0 (22)	795	4.9 (120)	829	3.7(110)	1,398	61.7(110)	2,578	24.4 (35)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 63  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)						Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Midwifery	1	* *	1	* *	1	* *	1	* *	1	* *	0	* *
Mitchell	42	* *	48	* *	50	* *	38	* *	44	* *	110	71.8 (63)
Moms/Kids	302	62.3 (53)	227	30.4 (6)	233	19.7 (4)	208	3.4 (123)	216	3.7(110)	612	68.1 (91)
Monroe Co	2,102	76.6 (6)	1,524	30.2 (7)	1,545	18.3 (6)	1,337	21.8 (2)	1,439	14.4 (2)	2,549	85.1 (7)
Montgomery	926	62.2 (55)	604	17.1 (65)	657	7.6 (76)	571	8.9 (90)	591	4.9 (94)	1,399	81.3 (11)
Morgan Co	1,403	58.4 (83)	968	11.4 (111)	949	4.7 (114)	899	10.8 (67)	947	5.8 (72)	1,831	79.1 (22)
N Arlingto	2,428	55.4 (97)	1,629	18.0 (56)	1,824	8.5 (61)	1,461	8.6 (95)	1,524	5.1 (86)	2,272	72.9 (52)
N Liberty	44	* *	38	* *	41	* *	33	* *	38	* *	87	* *
N Manchest	212	61.8 (59)	164	17.7 (59)	174	8.0 (68)	141	14.2 (27)	160	8.1 (31)	379	70.7 (70)
Newton Co	204	64.2 (49)	155	16.8 (68)	140	4.3 (119)	143	18.2 (8)	154	10.4 (8)	325	58.8(115)
Northlake	11	* *	10	* *	8	* *	11	* *	10	* *	0	* *
Northwest	2,234	74.7 (8)	1,484	35.4 (4)	1,603	18.2 (7)	1,388	12.8 (46)	1,414	8.6 (22)	2,737	76.0 (34)
Ohio Co	28	* *	21	* *	21	* *	18	* *	20	* *	66	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 64  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Orange Co	531	69.9 (17)	397	13.9 (90)	412	7.8 (73)	352	11.1 (62)	390	4.9 (94)	978	71.2 (65)	1,096	33.9 (63)
Owen Co	380	65.8 (39)	289	20.4 (39)	311	10.9 (30)	251	13.9 (33)	277	9.4 (16)	696	79.3 (20)	850	48.6 (103)
Parke Co	305	53.4(105)	225	12.0 (108)	218	6.4 (95)	203	9.4 (85)	224	5.8 (72)	456	72.8 (54)	613	53.7 (127)
Perry Co	406	44.8(130)	254	8.3 (123)	238	3.8 (121)	249	7.6 (107)	252	3.2(116)	560	61.6(111)	790	54.8 (130)
Pike Co	232	53.0(107)	145	22.1 (28)	147	9.5 (51)	129	19.4 (5)	137	7.3 (44)	276	43.1(125)	422	64.5 (139)
Portage	1,265	63.7 (51)	866	17.6 (60)	835	8.4 (64)	806	12.0 (54)	837	6.2 (65)	1,565	70.5 (72)	2,320	37.9 (76)
Posey Co	310	48.7(119)	228	8.8 (121)	222	4.5 (118)	209	11.5 (60)	227	6.2 (65)	460	72.4 (58)	612	52.9 (121)
Pulaski Co	301	59.1 (78)	225	12.0 (108)	235	6.8 (88)	202	10.9 (66)	222	7.2 (47)	511	73.2 (49)	600	32.8 (59)
Purdue	423	95.5 (1)	271	72.7 (1)	276	46.4 (1)	238	56.3 (1)	247	45.7 (1)	509	80.4 (14)	771	4.0 (1)
Putnam Co	789	61.3 (60)	561	12.7 (100)	570	5.8 (100)	529	9.5 (83)	544	5.0 (92)	1,267	77.6 (26)	1,600	52.1 (118)
Randolph	584	61.0 (62)	338	18.9 (49)	336	11.9 (24)	309	16.8 (16)	314	9.9 (12)	667	77.4 (28)	1,051	40.4 (83)
Richmond	1,672	59.1 (78)	1,134	18.3 (53)	1,159	10.1 (40)	1,044	10.6 (70)	1,111	5.1 (86)	2,432	67.8 (92)	3,275	43.2 (87)
Ripley Co	671	50.5(115)	492	9.3 (117)	495	3.8 (121)	455	7.0 (112)	486	4.5(101)	1,093	86.5 (6)	1,362	56.4 (134)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 65  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)		<b>Smoking in Household</b>	
<b>Clinic</b>	Number	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number %  (Rank)		Number %  (Rank)	
Rush Co	319	56.4 (93)	244 16.0 (76)	235 8.5 (61)	223 7.6 (107)	237 4.2(105)	503 69.0 (85)		650 49.7 (111)	
SB Ireland Rd	2,356	69.3 (21)	1,591 22.3 (27)	1,746 10.7 (32)	1,521 14.9 (24)	1,562 8.3 (26)	3,583 70.8 (68)		4,727 19.0 (19)	
SB Lafayette	2,799	69.7 (18)	2,159 29.5 (8)	2,345 15.9 (8)	1,970 11.9 (56)	2,109 8.3 (26)	5,441 71.2 (65)		5,969 13.2 (11)	
Scott Co	735	48.2(122)	525 12.8 (99)	562 5.7 (101)	475 6.5 (118)	511 3.9(107)	1,235 76.5 (32)		1,493 50.7 (114)	
Shelby Co	928	58.2 (86)	635 14.5 (87)	651 6.6 (92)	554 9.7 (79)	624 6.6 (58)	1,321 66.7 (98)		1,825 49.2 (105)	
Shelters	45	* *	42 * *	43 * *	40 * *	40 * *	142 72.5 (56)		177 40.1 (82)	
SJ Reg Ctr	305	64.3 (47)	88 * *	83 * *	95 * *	87 * *	1 * *		309 15.2 (15)	
So Calhoun	7,669	58.5 (82)	5,259 18.8 (50)	5,972 9.4 (53)	4,803 10.8 (67)	5,084 7.0 (51)	12,987 67.8 (92)		15,411 28.1 (49)	
Spencer Co	309	46.0(126)	222 13.5 (94)	222 6.8 (88)	199 9.5 (83)	216 5.1 (86)	541 76.7 (31)		650 46.5 (96)	
St Anthony	6	* *	3 * *	1 * *	2 * *	2 * *	0 * *		6 * *	
St Francis	55	* *	1 * *	1 * *	1 * *	1 * *	0 * *		52 * *	
St V-FLC	502	68.1 (25)	32 * *	25 * *	54 * *	32 * *	5 * *		508 20.3 (22)	
Starke Co	641	64.1 (50)	515 13.4 (95)	514 6.6 (92)	463 13.6 (36)	498 7.8 (39)	1,086 72.3 (60)		1,288 53.0 (122)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 66  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)		<b>Smoking in Household</b>	
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Steuben Co	935	72.8 (9)	708	19.1 (46)	774	7.2 (81)	646	12.8 (46)	701	5.3 (83)
StMargaret	9	* *	6	* *	5	* *	6	* *	0	* *
Sullivan	449	64.6 (45)	292	11.3 (112)	291	5.2 (109)	271	7.7 (106)	287	2.1(122)
Switz""Land	155	39.4(132)	112	8.9 (119)	105	5.7 (101)	101	9.9 (74)	112	5.4 (80)
Tippecanoe	3,654	72.0 (12)	2,583	24.0 (20)	2,753	13.1 (16)	2,342	19.1 (6)	2,483	12.4 (5)
Tipton Co	221	52.9(109)	170	10.0 (116)	177	9.6 (48)	156	11.5 (60)	169	5.9 (70)
Union Co	150	56.0 (95)	110	18.2 (55)	113	10.6 (34)	102	11.8 (59)	107	6.5 (61)
United Fai	1,137	60.8 (66)	669	20.3 (42)	715	9.7 (46)	649	17.1 (14)	651	11.1 (6)
Valpo	1,229	71.8 (13)	864	21.3 (34)	815	10.1 (40)	821	18.0 (11)	835	8.3 (26)
Vigo	2,469	56.9 (91)	1,555	13.1 (97)	1,602	6.0 (99)	1,442	9.6 (82)	1,517	5.4 (80)
Vincennes	766	45.4(127)	457	12.5 (102)	511	5.3 (107)	438	8.2 (98)	449	3.6(112)
W 21st Ave	1,412	51.3(114)	992	7.3 (125)	1,038	2.8 (126)	877	2.9 (124)	977	1.6(123)
Wabash	495	58.8 (80)	354	12.4 (104)	388	4.6 (117)	323	9.9 (74)	350	4.3(103)
	832	67.8 (92)							1,017	34.0 (64)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 67  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household		
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Warren Co	186	61.3 (60)	130	14.6 (86)	148	3.4 (124)	118	11.0 (64)	130	6.9 (54)	344	75.3 (36)	386	53.1 (125)
Warrick Co	775	53.0(107)	500	13.6 (92)	537	8.2 (65)	468	12.2 (52)	492	6.5 (61)	1,229	54.5(120)	1,590	53.0 (122)
Washington	588	62.1 (56)	440	16.6 (70)	459	9.6 (48)	374	13.1 (42)	425	8.0 (33)	1,052	71.0 (67)	1,245	49.5 (109)
Wells Co	439	71.1 (15)	304	20.4 (39)	317	7.9 (71)	275	20.7 (4)	294	9.5 (15)	692	72.1 (62)	885	31.0 (53)
Westside	2,415	59.5 (74)	1,652	24.8 (16)	1,793	13.3 (15)	1,535	8.2 (98)	1,593	5.5 (77)	2,771	55.1(119)	4,449	19.7 (21)
White Co	607	65.6 (41)	438	22.4 (26)	468	10.7 (32)	385	12.2 (52)	428	6.5 (61)	1,035	77.6 (26)	1,244	29.7 (50)
Whitley Co	718	68.7 (22)	495	23.8 (21)	471	11.9 (24)	478	21.8 (2)	481	13.3 (3)	1,050	74.0 (45)	1,366	46.0 (93)
Wishard	970	62.0 (57)	69	* *	50	* *	105	5.7 (119)	69	* *	2	* *	956	19.2 (20)
Women""s	2	* *	0	* *	0	* *	0	* *	0	* *	0	* *	3	* *
Unknown Clinics	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *	3	* *
Indiana	148,710	61.7	98,942	19.7	103,011	9.8	91,540	11.6	96,166	6.8	208,438	68.2	282,332	30.5

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

